

posterior tibial tendon repair cpt code

posterior tibial tendon repair cpt code: A Comprehensive Guide for Healthcare Providers and Medical Coders

Understanding the coding landscape for posterior tibial tendon repair is essential for accurate billing, reimbursement, and documentation. This article delves into the specifics of the CPT code associated with posterior tibial tendon repair, providing clarity on its application, variations, and related coding considerations.

Introduction to Posterior Tibial Tendon and Its Clinical Significance

The posterior tibial tendon plays a pivotal role in maintaining the medial longitudinal arch of the foot and facilitating foot inversion and plantarflexion. Injury or degeneration of this tendon can lead to posterior tibial tendon dysfunction (PTTD), resulting in flatfoot deformity, pain, and impaired mobility.

Effective diagnosis and management often involve surgical intervention, particularly tendon repair, which necessitates precise coding for insurance claims and medical records.

Understanding the CPT Code for Posterior Tibial Tendon Repair

Standard CPT Code for Tendon Repair Procedures

The American Medical Association (AMA) assigns Current Procedural Terminology (CPT) codes to describe medical procedures, including tendon repairs. The CPT code most commonly associated with posterior tibial tendon repair is:

- **27650** – Repair, primary, open, flexor or extensor tendon, foot or ankle; each tendon.

However, this code is broad and may not specify the posterior tibial tendon explicitly. For posterior tibial tendon repair, the specific CPT codes often include:

- **27650** – Repair, primary, open, flexor or extensor tendon, foot or ankle; each tendon.
- **27652** – Repair, primary, open, flexor or extensor tendon, foot or ankle; with graft or tendon transfer (includes repair of nerve or vessels).

In many cases, the repair of the posterior tibial tendon is coded under these general tendon repair codes, but specific modifiers and details are necessary for precise billing.

Specific CPT Codes for Posterior Tibial Tendon Repair

Although there isn't a dedicated CPT code exclusively for posterior tibial tendon repair, coding is based on the procedure's specifics:

- Open Tendon Repair: When the repair involves an open surgical approach, CPT code 27650 is used.
- Tendon Transfer or Graft: If the procedure involves transferring or grafting the posterior tibial tendon, CPT code 27652 applies.
- Tenosynovectomy or Debridement: In cases where debridement or tenosynovectomy is performed, other codes like 28008 or 28010 may be relevant.

It's essential for coders to review operative reports carefully to select the most accurate code based on the procedure performed.

Modifiers and Additional Coding Considerations

Using Modifiers Effectively

Modifiers provide additional information about the performed procedure, such as laterality, multiple procedures, or staged surgeries. Common modifiers include:

- -50 (Bilateral Procedure): Used if the same procedure is performed on both feet.
- -59 (Distinct Procedural Service): Indicates separate or distinct procedural services during the same session.
- -LT / -RT: Specifies left or right foot.

Proper application of modifiers ensures appropriate reimbursement and avoids denials.

Coding for Associated Procedures

Often, posterior tibial tendon repair is combined with other procedures, such as:

- Osteotomies
- Tenosynovectomy
- Tendon transfers

In such cases, multiple CPT codes are billed with appropriate modifiers to reflect the complete surgical intervention.

Understanding the Role of HCPCS and ICD Codes

While CPT codes describe the procedure, other coding systems support comprehensive billing:

- HCPCS Codes: May include supply codes or specialized equipment used during repair.
- ICD-10-CM Codes: Essential for diagnosis coding, guiding the necessity of the procedure. Relevant ICD-10 codes include:

- **M23.62** – Dysfunction of tibialis posterior tendon (posterior tibial tendon dysfunction).
- **Q66.9** – Congenital deformity of foot, unspecified.
- **F8Y.9** – Adult acquired flatfoot deformity, unspecified stage.

Accurate pairing of diagnosis and procedure codes ensures compliance and appropriate reimbursement.

Billing and Reimbursement Strategies

Documentation Requirements

Proper documentation is vital for successful billing. Medical records should include:

- Detailed operative reports describing the procedure
- Indications for surgery
- Procedure performed with specifics (e.g., open repair, transfer)
- Any additional procedures or grafts used

Coding Tips for Accurate Billing

- Always verify the latest CPT coding guidelines and updates from the AMA.
- Use modifiers appropriately to reflect laterality and procedure specifics.
- Ensure diagnosis codes justify the procedure performed.
- For complex repairs involving multiple procedures, consider bundling or unbundling practices per payer policy.

Common Challenges and How to Address Them

Misclassification of Procedures

Using generic or incorrect CPT codes can lead to claim denials. To prevent this:

- Review operative notes thoroughly.
- Confirm the procedure details align with the selected CPT code.
- Consult the AMA CPT manual or coding professionals when uncertain.

Handling Multiple Procedures

When multiple procedures are performed, proper coding involves:

- Listing primary procedures first.
- Applying modifiers such as -51 (Multiple Procedures) where appropriate.
- Documenting each procedure clearly.

Conclusion

Accurate coding of posterior tibial tendon repair is crucial for effective billing and reimbursement. While there isn't a single dedicated CPT code solely for posterior tibial tendon repair, procedures are typically represented using tendon repair codes such as 27650 and 27652, with modifiers to indicate specifics like laterality or additional procedures. Understanding the nuances of CPT coding, along with thorough documentation and strategic coding practices, ensures that healthcare providers are appropriately compensated for their surgical interventions.

By staying current with AMA updates and maintaining meticulous operative documentation, clinicians and coders can navigate the complexities of posterior tibial tendon repair coding with confidence, ultimately supporting high-quality patient care and efficient practice management.

Frequently Asked Questions

What is the appropriate CPT code for posterior tibial tendon repair?

The CPT code commonly used for posterior tibial tendon repair is 28445, which covers repair of the posterior tibial tendon, including tendon transfer if performed.

Are there specific CPT codes for different types of posterior tibial tendon repair procedures?

Yes, CPT codes vary depending on the procedure performed. For example, 28445 is for primary repair, while 28446 may be used for tendon transfer procedures related to posterior tibial tendon dysfunction.

How do I determine the correct CPT code when a posterior tibial tendon repair is combined with other procedures?

You should use the main repair code (e.g., 28445) and add modifiers such as -52 (reduced services) or -59 (distinct procedural service) as appropriate to indicate combined procedures.

Is there a specific CPT code for posterior tibial tendon transfer?

Yes, CPT code 28446 is used for posterior tibial tendon transfer, which may be performed as part of the repair process.

Can CPT codes for posterior tibial tendon repair vary between different payers?

Yes, some payers may have specific coding guidelines or preferred codes; always verify payer-specific requirements for accurate billing.

Are there any recent updates to CPT codes related to posterior tibial tendon repair?

As of the latest CPT coding updates, codes 28445 and 28446 remain relevant; however, it is important to consult the latest CPT manual or coding resources for any changes.

How should I document posterior tibial tendon repair to support CPT coding and reimbursement?

Ensure detailed operative notes specify the type of repair, whether a primary repair or transfer, involved structures, and any additional procedures performed to justify the chosen CPT code.

What modifiers are commonly used with posterior tibial tendon repair CPT codes?

Modifiers such as -51 (multiple procedures), -59 (distinct procedural service), or -LT/-RT (left/right side) may be used depending on the procedure specifics and payer guidelines.

Is there a difference in CPT coding between open and minimally invasive posterior tibial tendon repair?

Typically, both open and minimally invasive repairs use the same CPT codes (28445 or 28446), but documentation should clearly specify the approach to support the code selection.

Additional Resources

Posterior Tibial Tendon Repair CPT Code: A Comprehensive Review

The posterior tibial tendon repair CPT code is a critical element in the documentation, billing, and coding of procedures aimed at restoring function to a compromised posterior tibial tendon. This tendon plays a vital role in supporting the medial arch of the foot and facilitating foot inversion and plantarflexion. When injured or degenerated, it can lead to conditions such as adult-acquired flatfoot deformity, causing pain, instability, and functional impairment. Accurate coding ensures appropriate reimbursement, compliance with billing regulations, and facilitates data collection for research and quality improvement.

In this article, we explore the intricacies of posterior tibial tendon repair coding, its clinical significance, the various procedures encompassed under this coding, and the evolving landscape shaped by surgical advances and coding updates.

Understanding the Posterior Tibial Tendon and Its Clinical Significance

Anatomy and Function of the Posterior Tibial Tendon

The posterior tibial tendon originates from the posterior aspect of the tibia and fibula, extending distally to insert mainly on the navicular, cuneiforms, and sustentaculum tali of the calcaneus. Its primary functions include:

- Supporting the medial longitudinal arch
- Assisting in foot inversion
- Stabilizing the hindfoot during gait
- Contributing to plantarflexion of the ankle

Given its critical role, injury or degeneration of the posterior tibial tendon can compromise foot biomechanics, leading to flatfoot deformity and pain.

Common Pathologies and Indications for Repair

Pathologies involving the posterior tibial tendon include:

- Tendinopathy or tendinitis
- Partial or complete rupture
- Tendon dislocation or instability
- Tendon degeneration due to aging or overuse

Indications for surgical repair typically involve persistent pain, dysfunction, and progressive deformity despite conservative treatment. Surgical intervention aims to restore tendon continuity, improve foot biomechanics, and prevent deformity progression.

Overview of Posterior Tibial Tendon Repair Procedures

Types of Surgical Interventions

Posterior tibial tendon repair encompasses several procedures, depending on the severity, extent of damage, and associated deformities. Common surgical options include:

- Primary Tendon Repair: Direct suture repair of a ruptured or torn tendon
- Tendon Debridement: Removal of degenerative tissue to promote healing
- Graft Augmentation: Use of autograft or allograft tissue to reinforce repair
- Tendon Transfer: Transfer of neighboring tendons (e.g., flexor digitorum longus) to restore function
- Tendon Decompression: Release of surrounding structures to reduce impingement
- Osteotomies and Arthrodesis: Corrective procedures addressing deformity associated with tendon pathology

The choice of procedure hinges on the nature of the injury, chronicity, and deformity severity.

Understanding CPT Coding for Posterior Tibial Tendon Repair

Current Procedural Terminology (CPT) Overview

CPT codes are maintained by the American Medical Association (AMA) and are used universally in the United States to describe medical, surgical, and diagnostic services. Accurate coding is essential for appropriate reimbursement, compliance, and data analysis.

Relevant CPT Codes for Posterior Tibial Tendon Repair

The CPT codes associated with posterior tibial tendon procedures primarily fall within the musculoskeletal section (codes 28000–29999). The most relevant codes include:

- 27650: Repair, primary, of posterior tibial tendon, open; with or without graft
- 27652: Repair, secondary, of posterior tibial tendon, open; with or without graft
- 27660: Tendon transfer, posterior tibial tendon (e.g., for adult acquired flatfoot), open
- 27665: Tendon graft, each, for posterior tibial tendon repair or transfer
- 27670: Tendon debridement, primary or secondary, with or without repair

It is essential to note that these codes are often used in conjunction with other procedures, and modifiers may be necessary to specify circumstances such as bilateral procedures or staged surgeries.

In-Depth Analysis of Key CPT Codes

Code 27650: Repair of Posterior Tibial Tendon

Description: This code refers to an open repair of the posterior tibial tendon, which may include primary suture repair, debridement, and possibly graft augmentation. It is typically used when the tendon is ruptured or torn but still salvageable.

Clinical Considerations:

- Indicated for acute ruptures or tears
- May involve end-to-end suturing techniques
- Graft augmentation is permissible under this code if performed

Billing Considerations:

- Use with appropriate modifiers if performed bilaterally
- Document specifics such as the extent of repair and use of graft

Code 27652: Secondary Repair

Description: Used when repairing a prior repair or addressing failed previous intervention, often involving more complex reconstruction.

Clinical Considerations:

- May involve scar tissue removal
- Tendon grafting or transfer may be necessary

Code 27660: Tendon Transfer

Description: Represents procedures where the posterior tibial tendon is transferred to restore function, often performed in cases of irreparable tendons or deformity correction.

Clinical Considerations:

- Commonly used in adult-acquired flatfoot deformity
- Usually involves transfer of the flexor digitorum longus (FDL) or other tendons

Code 27665: Tendon Graft

Description: Covers the harvest and placement of a graft used to augment or reconstruct the posterior tibial tendon.

Clinical Considerations:

- Grafts can be autograft (e.g., plantaris, hamstring tendons) or allograft
- Often combined with other procedures

Modifiers and Additional Coding Considerations

Modifiers for Accurate Billing

Modifiers can clarify circumstances such as:

- -50: Bilateral procedure
- -59: Distinct procedural service
- -51: Multiple procedures during the same operative session
- -LT / -RT: Left or right side

Proper usage of modifiers ensures compliance and accurate reimbursement.

Combination Procedures and Bundling

Often, posterior tibial tendon repair is performed alongside other procedures such as osteotomies, arthrodesis, or soft tissue releases. CPT coding must reflect the primary and secondary procedures accurately to prevent unbundling or incorrect bundling, which can lead to claim denials.

Clinical and Coding Challenges

Variability in Procedures and Documentation

One of the main challenges in coding posterior tibial tendon repair is the variability in surgical techniques and documentation. Surgeons may perform:

- Isolated tendon repair
- Complex reconstructions involving transfers and grafts
- Associated procedures addressing deformity

Clear operative reports detailing the exact procedures performed are essential for accurate coding.

Updates and Evolving Coding Guidelines

The AMA periodically updates CPT codes to reflect advances in surgical techniques. It is vital for coders and billing professionals to stay current with these updates to ensure compliance.

Future Directions and Considerations

Advancements in Surgical Techniques

Emerging techniques such as minimally invasive repairs, biologic augmentation, and novel graft materials may influence future CPT coding. The development of specific codes for new procedures can streamline billing and improve data tracking.

Impact on Reimbursement and Policy

As understanding of posterior tibial tendon pathologies deepens, reimbursement policies may evolve to incentivize early intervention or comprehensive care models, influencing coding practices.

Importance of Multidisciplinary Coordination

Successful management of posterior tibial tendon disorders involves coordination among orthopedic surgeons, podiatrists, radiologists, and coding specialists to ensure accurate documentation and optimal patient care.

Conclusion

Accurate coding of posterior tibial tendon repair through CPT codes is integral to providing high-quality, compliant, and reimbursable care. Understanding the nuances of each procedure, staying updated with coding changes, and meticulous documentation are crucial for clinicians and coders alike. As surgical

techniques advance and new procedures emerge, the CPT coding landscape will continue to evolve, underscoring the importance of ongoing education and adaptation in this specialized field.

By comprehensively understanding the clinical context and coding intricacies, healthcare providers can ensure that patients receive appropriate care while maintaining compliance and optimizing reimbursement processes.

Posterior Tibial Tendon Repair Cpt Code

posterior tibial tendon repair cpt code: "Code of Massachusetts regulations, 2002" , 2002 Archival snapshot of entire looseleaf Code of Massachusetts Regulations held by the Social Law Library of Massachusetts as of January 2020.

posterior tibial tendon repair cpt code: "Code of Massachusetts regulations, 2001" , 2001 Archival snapshot of entire looseleaf Code of Massachusetts Regulations held by the Social Law Library of Massachusetts as of January 2020.

posterior tibial tendon repair cpt code: "Code of Massachusetts regulations, 2000" , 2000 Archival snapshot of entire looseleaf Code of Massachusetts Regulations held by the Social Law Library of Massachusetts as of January 2020.

posterior tibial tendon repair cpt code: "Code of Massachusetts regulations, 1996" , 1996 Archival snapshot of entire looseleaf Code of Massachusetts Regulations held by the Social Law Library of Massachusetts as of January 2020.

posterior tibial tendon repair cpt code: "Code of Massachusetts regulations, 1997" , 1997 Archival snapshot of entire looseleaf Code of Massachusetts Regulations held by the Social Law Library of Massachusetts as of January 2020.

posterior tibial tendon repair cpt code: Complete Global Service Data for Orthopaedic Surgery: Lower extremity and nervous system , 2005

posterior tibial tendon repair cpt code: "Code of Massachusetts regulations, 1998" , 1998 Archival snapshot of entire looseleaf Code of Massachusetts Regulations held by the Social Law Library of Massachusetts as of January 2020.

posterior tibial tendon repair cpt code: "Code of Massachusetts regulations, 1999" , 1999 Archival snapshot of entire looseleaf Code of Massachusetts Regulations held by the Social Law Library of Massachusetts as of January 2020.

posterior tibial tendon repair cpt code: "Code of Massachusetts regulations, 1994" , 1994 Archival snapshot of entire looseleaf Code of Massachusetts Regulations held by the Social Law Library of Massachusetts as of January 2020.

posterior tibial tendon repair cpt code: "Code of Massachusetts regulations, 1995" , 1995 Archival snapshot of entire looseleaf Code of Massachusetts Regulations held by the Social Law Library of Massachusetts as of January 2020.

posterior tibial tendon repair cpt code: Advanced Reconstruction: Knee Jay R. Lieberman, MD, Daniel J. Berry, MD, Frederick Azar, MD, 2018-08-30 The world's leading knee reconstruction and sports medicine surgeons guide you to manage the toughest cases you'll see. Step-by-step guidance for more than 70 advanced reconstruction techniques.

posterior tibial tendon repair cpt code: Case Competencies in Orthopaedic Surgery E-Book Rachel Frank, Brian Forsythe, Matthew T. Provencher, 2016-01-22 Case Competencies in Orthopaedic Surgery is a centralized, easy-access guide to preparing for cases most commonly encountered during training. Written by expert author teams consisting of both attending surgeons and residents, it follows a technique-based format and design that summarizes the surgical steps,

from room set-up to closure, of all cases relevant to the 15 categories of Orthopaedic Surgery Case Minimums as determined by the ACGME. - Forty technique-based chapters boast an outline format with minimal text, high-definition intraoperative figures, and original illustrations. - Each chapter contains easy-to-use tables outlining the surgical steps, essential equipment, technical pearls, and common pitfalls of each case. - Includes coverage of today's hot topics in orthopaedic surgery, such as fractures, arthroscopy, arthroplasty, bread and butter pediatric cases, and basic subspecialty cases (spine, foot and ankle, oncology, hand, shoulder, and more). - Lists CPT and ICD 9/10 codes to help with case logging.

posterior tibial tendon repair cpt code: *CPT Outpatient Services* Grace M. Kotowicz, 2005-05 An annotated version of CPT prepared for hospitals, ambulatory surgery centres and outpatient hospital and provider-based office settings. This book offers a singular reference that uses symbols to provide instruction for reporting each CPT code under Medicare's Outpatient Prospective Payment System (OPPS).

posterior tibial tendon repair cpt code: *"Code of Massachusetts regulations, 1993"* , 1993 Archival snapshot of entire looseleaf Code of Massachusetts Regulations held by the Social Law Library of Massachusetts as of January 2020.

posterior tibial tendon repair cpt code: *Physicians Fee & Coding Guide* , 2011

posterior tibial tendon repair cpt code: **Advanced Reconstruction Foot and Ankle** James A. Nunley, 2004 A technique-focused textbook developed specifically to address the challenges of this complex orthopaedic problem and accompanying complications. Provides in-depth coverage and presents several options with detailed illustrations. The chapters in this volume are authored by recognized experts in foot and ankle surgery; they present many options for treatment of each problem, but the highlight of each chapter is the author's personal choice and rationale for selecting a specific treatment.

posterior tibial tendon repair cpt code: *CPT Expert 2002* Medicode, 2001

posterior tibial tendon repair cpt code: *CPT Expert 2004* Medicode, Ingenix, 2003-12 The CPT. Expert offers physicians' offices codes and icons denoting new, changed, and deleted language from the latest release (CPT. 2004), plus information that will help the coder find and use the CPT. codes more easily. An extensive index, terms to know, and other additions help clarify the codes and speed assigning accurate codes. The product also provides valuable information about coding CPT. for Medicare Part B.

posterior tibial tendon repair cpt code: *The Massachusetts register* , 1993

posterior tibial tendon repair cpt code: **CPT Plus, 2002** American Medical Association, Committee on Medicolegal Aspects, 2001-12 Current procedural terminology codes and instructions for use.

Related to posterior tibial tendon repair cpt code

POSTERIOR Definition & Meaning - Merriam-Webster Posterior comes from the Latin word *posterus*, meaning "coming after". Posterior is often used as a technical term in biology and medicine to refer to the back side of things, and is the opposite

Anatomical Terms of Location - Anterior - Posterior Anterior refers to the 'front', and posterior refers to the 'back'. Putting this in context, the heart is posterior to the sternum because it lies behind it

POSTERIOR Definition & Meaning | Posterior definition: situated behind or at the rear of; hinder (anterior) .. See examples of POSTERIOR used in a sentence

POSTERIOR | definition in the Cambridge English Dictionary POSTERIOR meaning: 1. positioned at or towards the back 2. later in time 3. your bottom: . Learn more

posterior - Wiktionary, the free dictionary Borrowed from Latin *posterior* ("that comes or follows after; later, latter")

POSTERIOR definition and meaning | Collins English Dictionary relating to the back or spinal part of the body

Posterior - definition of posterior by The Free Dictionary posterior (pɒ'stɪərɪə) adj 1. situated at the back of or behind something 2. coming after or following another in a series

posterior, n., adj., & adv. meanings, etymology and more | Oxford There are nine meanings listed in OED's entry for the word posterior, four of which are labelled obsolete. See 'Meaning & use' for definitions, usage, and quotation evidence

posterior adjective - Definition, pictures, pronunciation and usage Definition of posterior adjective in Oxford Advanced Learner's Dictionary. Meaning, pronunciation, picture, example sentences, grammar, usage notes, synonyms and more

posterior - Dictionary of English posterior /pɑ'stɪriə, pɒv-/ adj. [before a noun] located behind or at the rear of. coming after (something) in order or in time; later. n. [countable] Anatomy the lower, bottom parts or rump of

POSTERIOR Definition & Meaning - Merriam-Webster Posterior comes from the Latin word posterus, meaning "coming after". Posterior is often used as a technical term in biology and medicine to refer to the back side of things, and is the opposite

Anatomical Terms of Location - Anterior - Posterior Anterior refers to the 'front', and posterior refers to the 'back'. Putting this in context, the heart is posterior to the sternum because it lies behind it

POSTERIOR Definition & Meaning | Posterior definition: situated behind or at the rear of; hinder (anterior).. See examples of POSTERIOR used in a sentence

POSTERIOR | definition in the Cambridge English Dictionary POSTERIOR meaning: 1. positioned at or towards the back 2. later in time 3. your bottom: . Learn more

posterior - Wiktionary, the free dictionary Borrowed from Latin posterior ("that comes or follows after; later, latter")

POSTERIOR definition and meaning | Collins English Dictionary relating to the back or spinal part of the body

Posterior - definition of posterior by The Free Dictionary posterior (pɒ'stɪərɪə) adj 1. situated at the back of or behind something 2. coming after or following another in a series

posterior, n., adj., & adv. meanings, etymology and more | Oxford There are nine meanings listed in OED's entry for the word posterior, four of which are labelled obsolete. See 'Meaning & use' for definitions, usage, and quotation evidence

posterior adjective - Definition, pictures, pronunciation and usage Definition of posterior adjective in Oxford Advanced Learner's Dictionary. Meaning, pronunciation, picture, example sentences, grammar, usage notes, synonyms and more

posterior - Dictionary of English posterior /pɑ'stɪriə, pɒv-/ adj. [before a noun] located behind or at the rear of. coming after (something) in order or in time; later. n. [countable] Anatomy the lower, bottom parts or rump of

POSTERIOR Definition & Meaning - Merriam-Webster Posterior comes from the Latin word posterus, meaning "coming after". Posterior is often used as a technical term in biology and medicine to refer to the back side of things, and is the opposite

Anatomical Terms of Location - Anterior - Posterior Anterior refers to the 'front', and posterior refers to the 'back'. Putting this in context, the heart is posterior to the sternum because it lies behind it

POSTERIOR Definition & Meaning | Posterior definition: situated behind or at the rear of; hinder (anterior).. See examples of POSTERIOR used in a sentence

POSTERIOR | definition in the Cambridge English Dictionary POSTERIOR meaning: 1. positioned at or towards the back 2. later in time 3. your bottom: . Learn more

posterior - Wiktionary, the free dictionary Borrowed from Latin posterior ("that comes or follows after; later, latter")

POSTERIOR definition and meaning | Collins English Dictionary relating to the back or spinal part of the body

Posterior - definition of posterior by The Free Dictionary posterior (pɒ'stɪərɪə) adj 1. situated at

the back of or behind something 2. coming after or following another in a series

posterior, n., adj., & adv. meanings, etymology and more | Oxford There are nine meanings listed in OED's entry for the word posterior, four of which are labelled obsolete. See 'Meaning & use' for definitions, usage, and quotation evidence

posterior adjective - Definition, pictures, pronunciation and usage Definition of posterior adjective in Oxford Advanced Learner's Dictionary. Meaning, pronunciation, picture, example sentences, grammar, usage notes, synonyms and more

posterior - Dictionary of English posterior /pə'striə, pɒv-/ adj. [before a noun] located behind or at the rear of. coming after (something) in order or in time; later. n. [countable] Anatomy the lower, bottom parts or rump of

POSTERIOR Definition & Meaning - Merriam-Webster Posterior comes from the Latin word posterus, meaning "coming after". Posterior is often used as a technical term in biology and medicine to refer to the back side of things, and is the opposite

Anatomical Terms of Location - Anterior - Posterior Anterior refers to the 'front', and posterior refers to the 'back'. Putting this in context, the heart is posterior to the sternum because it lies behind it

POSTERIOR Definition & Meaning | Posterior definition: situated behind or at the rear of; hinder (anterior) .. See examples of POSTERIOR used in a sentence

POSTERIOR | definition in the Cambridge English Dictionary POSTERIOR meaning: 1. positioned at or towards the back 2. later in time 3. your bottom: . Learn more

posterior - Wiktionary, the free dictionary Borrowed from Latin posterior ("that comes or follows after; later, latter")

POSTERIOR definition and meaning | Collins English Dictionary relating to the back or spinal part of the body

Posterior - definition of posterior by The Free Dictionary posterior (pə'striə) adj 1. situated at the back of or behind something 2. coming after or following another in a series

posterior, n., adj., & adv. meanings, etymology and more | Oxford There are nine meanings listed in OED's entry for the word posterior, four of which are labelled obsolete. See 'Meaning & use' for definitions, usage, and quotation evidence

posterior adjective - Definition, pictures, pronunciation and usage Definition of posterior adjective in Oxford Advanced Learner's Dictionary. Meaning, pronunciation, picture, example sentences, grammar, usage notes, synonyms and more

posterior - Dictionary of English posterior /pə'striə, pɒv-/ adj. [before a noun] located behind or at the rear of. coming after (something) in order or in time; later. n. [countable] Anatomy the lower, bottom parts or rump

POSTERIOR Definition & Meaning - Merriam-Webster Posterior comes from the Latin word posterus, meaning "coming after". Posterior is often used as a technical term in biology and medicine to refer to the back side of things, and is the opposite

Anatomical Terms of Location - Anterior - Posterior Anterior refers to the 'front', and posterior refers to the 'back'. Putting this in context, the heart is posterior to the sternum because it lies behind it

POSTERIOR Definition & Meaning | Posterior definition: situated behind or at the rear of; hinder (anterior) .. See examples of POSTERIOR used in a sentence

POSTERIOR | definition in the Cambridge English Dictionary POSTERIOR meaning: 1. positioned at or towards the back 2. later in time 3. your bottom: . Learn more

posterior - Wiktionary, the free dictionary Borrowed from Latin posterior ("that comes or follows after; later, latter")

POSTERIOR definition and meaning | Collins English Dictionary relating to the back or spinal part of the body

Posterior - definition of posterior by The Free Dictionary posterior (pə'striə) adj 1. situated at the back of or behind something 2. coming after or following another in a series

posterior, n., adj., & adv. meanings, etymology and more | Oxford There are nine meanings listed in OED's entry for the word posterior, four of which are labelled obsolete. See 'Meaning & use' for definitions, usage, and quotation evidence

posterior adjective - Definition, pictures, pronunciation and usage Definition of posterior adjective in Oxford Advanced Learner's Dictionary. Meaning, pronunciation, picture, example sentences, grammar, usage notes, synonyms and more

posterior - Dictionary of English posterior /pɑˈstriə, pɒ-/ adj. [before a noun] located behind or at the rear of. coming after (something) in order or in time; later. n. [countable] Anatomy the lower, bottom parts or rump of

Related Articles

- [free peyote patterns pdf](#)
- [map river valley civilizations](#)
- [bus operator exam](#)

[Back to Home](#)