

gene expression - transcription pogil

Gene Expression - Transcription POGIL

Gene expression is the fundamental biological process by which information encoded within a gene is used to synthesize functional gene products, primarily proteins. This process is meticulously regulated and plays a vital role in cell differentiation, development, and response to environmental stimuli. A key stage in gene expression is transcription, during which a specific segment of DNA is transcribed into messenger RNA (mRNA). To facilitate understanding of this critical process, the POGIL (Process Oriented Guided Inquiry Learning) approach provides an interactive, student-centered method that encourages exploration, collaboration, and deep comprehension. In this article, we will explore the intricacies of transcription, its components, regulation mechanisms, and how POGIL activities enhance learning about gene expression.

Understanding Gene Expression

What is Gene Expression?

Gene expression involves the processes that convert the genetic code stored in DNA into a functional product, typically a protein. It comprises two main stages:

- **Transcription:** synthesis of mRNA from DNA.
- **Translation:** decoding of mRNA to assemble amino acids into a protein.

While both stages are essential, this article concentrates on transcription, the first step that initiates the pathway from gene to protein.

Why is Transcription Important?

Transcription serves as the bridge between genetic information and functional gene products. It allows cells to produce proteins as needed, enabling differentiation and adaptation. Errors or regulation failures in transcription can lead to diseases such as cancer or genetic disorders, underscoring its biological significance.

Mechanics of Transcription

The Basic Process

Transcription is the process by which RNA polymerase reads a gene's DNA sequence to synthesize a complementary strand of mRNA. The key steps include:

1. **Initiation:** RNA polymerase binds to a specific region called the promoter.
2. **Elongation:** RNA polymerase moves along the DNA, synthesizing the mRNA strand by adding nucleotides complementary to the DNA template strand.
3. **Termination:** Transcription concludes when RNA polymerase encounters a terminator sequence, releasing the newly formed mRNA.

Components of Transcription

Several molecules and regions are involved in transcription:

- **DNA template strand:** the DNA strand used as a template for mRNA synthesis.
- **RNA polymerase:** the enzyme responsible for synthesizing RNA.
- **Promoter region:** a specific sequence of DNA signaling where transcription begins.
- **Terminator sequence:** signals where transcription ends.
- **mRNA:** the messenger RNA molecule that carries genetic information from DNA to ribosomes.

Regulation of Transcription

How is Transcription Regulated?

Cells control gene expression primarily through regulating transcription. This ensures proteins are produced at the right time, in the right amount, and in the right cell type. Key regulatory mechanisms include:

1. **Promoter accessibility:** Chromatin remodeling can make promoter regions more or less accessible to RNA polymerase.
2. **Transcription factors:** Proteins that enhance or repress the binding of RNA polymerase to DNA.
3. **Enhancers and silencers:** DNA sequences that increase or decrease transcription levels when bound by specific factors.
4. **Epigenetic modifications:** Chemical modifications, such as methylation, influence gene accessibility.

Implications of Transcriptional Regulation

Understanding regulation is crucial for comprehending cellular function and disease development. For instance, abnormal regulation can lead to overexpression of oncogenes, contributing to cancer, or underexpression of tumor suppressor genes.

POGIL Activities for Learning Transcription

Introduction to POGIL Methodology

Process Oriented Guided Inquiry Learning (POGIL) emphasizes student engagement through structured activities that promote exploration, concept invention, and application. When studying complex processes like transcription, POGIL activities foster critical thinking and collaborative learning, making abstract concepts tangible.

Sample POGIL Activities for Transcription

Activities are designed to guide students through the steps of transcription, encouraging them to analyze data, interpret diagrams, and answer targeted questions. Examples include:

- **Diagram analysis:** Students examine diagrams of DNA and RNA polymerase, identifying key components and their functions.
- **Sequence transcription exercise:** Given a DNA sequence, students predict the mRNA sequence, understanding base pairing rules.
- **Regulation scenarios:** Case studies where students determine how changes in promoter regions or transcription factors affect gene expression.

Benefits of POGIL in Teaching Transcription

- Encourages active participation and peer discussion.
- Helps students construct their own understanding rather than passively receiving information.
- Develops critical thinking skills applicable to more complex biological concepts.
- Provides immediate feedback through guided questions and collaborative problem-solving.

Integrating Transcription Knowledge into Broader Contexts

Connecting Transcription to Cell Function

Transcription is not an isolated process; it interacts with other cellular mechanisms to regulate gene expression dynamically. For example, in response to environmental stimuli, transcription factors are activated to turn on specific genes, enabling adaptation.

Applications in Biotechnology and Medicine

Understanding transcription has led to advances such as:

- **Gene therapy:** Targeting transcriptional regulation to correct genetic disorders.
- **Pharmacology:** Developing drugs that modulate transcription factors or epigenetic marks.
- **Genetic engineering:** Designing synthetic promoters to control gene expression precisely.

Summary and Key Takeaways

- Gene expression, specifically transcription, is essential for producing proteins necessary for life.
- Transcription involves the synthesis of mRNA from a DNA template, regulated by various factors to ensure proper gene expression.
- Understanding the mechanics and regulation of transcription is crucial for insights into health, disease, and biotechnological applications.
- POGIL activities serve as effective tools for engaging students in learning about transcription through inquiry and collaboration.

By exploring the steps, components, regulation, and broader significance of transcription through interactive activities, learners can build a comprehensive understanding of gene expression. This foundational knowledge is vital for advancing in molecular biology, genetics, and related fields, ultimately contributing to innovations in medicine, research, and biotechnology.

Frequently Asked Questions

What is the primary role of transcription in gene expression?

Transcription is the process by which the genetic information encoded in DNA is copied into messenger RNA (mRNA), which then guides protein synthesis. It is a crucial step in gene expression because it allows the genetic code to be translated into functional proteins.

How does the structure of DNA influence transcription?

The structure of DNA, including the specific nucleotide sequences and the accessibility of the promoter regions, determines where transcription begins. Promoter regions signal where RNA polymerase should bind, and the unwinding of DNA allows the transcription machinery to access the template strand for mRNA synthesis.

What role do transcription factors play in gene expression?

Transcription factors are proteins that bind to specific DNA sequences near

genes to regulate the initiation of transcription. They can either promote or inhibit the binding of RNA polymerase, thereby controlling the rate of gene expression in response to cellular signals.

How is transcription regulated in eukaryotic cells?

Transcription in eukaryotic cells is regulated through multiple mechanisms, including the binding of transcription factors to promoter and enhancer regions, chromatin remodeling that affects DNA accessibility, and epigenetic modifications such as DNA methylation and histone modification, which influence gene activity.

Why is understanding transcription important in the context of gene expression and health?

Understanding transcription is vital because it explains how genes are turned on or off, affecting cell function and development. Abnormal transcription regulation can lead to diseases such as cancer, making it a key focus in medical research and the development of targeted therapies.

Additional Resources

Gene Expression - Transcription Pogil: An In-Depth Exploration of the Molecular Basis of Gene Regulation

Gene expression is the fundamental process by which the information encoded in a gene is used to synthesize functional gene products, primarily proteins, that carry out various cellular functions. Understanding the mechanisms that regulate gene expression is essential for comprehending cellular differentiation, development, disease mechanisms, and biotechnology applications. Among the critical stages of gene expression, transcription—the process by which DNA is converted into RNA—is particularly vital. The "transcription pogil" (Process-Oriented Guided Inquiry Learning) approach offers an interactive and student-centered method to explore the complexities of transcription, fostering a deeper understanding of molecular biology principles.

This long-form review delves into the intricacies of gene expression with a particular focus on transcription, examining the molecular mechanisms, regulatory elements, and experimental approaches that have advanced our understanding. The article aims to serve as a comprehensive resource for educators, students, and researchers interested in the dynamic process of transcription and its role within gene regulation.

Foundations of Gene Expression

Gene expression encompasses a multi-step process that begins with the transcription of DNA into RNA and concludes with the translation of RNA into functional proteins. The regulation of this process ensures that genes are expressed at the right time, in the right cell type, and at appropriate levels, maintaining cellular homeostasis and enabling organismal development.

Key stages of gene expression include:

- Transcription: Synthesis of RNA from a DNA template.
- RNA processing: Modification of the primary transcript (e.g., splicing, capping, polyadenylation).
- Translation: Conversion of mRNA into a polypeptide chain.
- Post-translational modifications: Folding, chemical modifications, and trafficking of proteins.

While all stages are essential, transcription serves as the primary control point for gene regulation because it determines whether a gene's message is produced in the first place.

Overview of Transcription: The Central Dogma

Transcription is the first step in gene expression, where the information encoded in a gene's DNA sequence is transcribed into messenger RNA (mRNA). This process is highly conserved across organisms, from bacteria to humans, and involves a complex interplay of enzymes, regulatory sequences, and transcription factors.

The central components of transcription include:

- Template DNA strand: The strand used by RNA polymerase to synthesize RNA.
- RNA polymerase: The enzyme responsible for catalyzing the formation of RNA.
- Promoters: Specific DNA sequences that signal the start site of transcription.
- Transcription factors: Proteins that bind to promoter regions and regulate the initiation of transcription.
- Terminators: Sequences signaling the end of transcription.

In prokaryotes, transcription is relatively straightforward, with a single RNA polymerase and simple promoter sequences. In contrast, eukaryotic transcription involves multiple RNA polymerases, complex promoter regions, and elaborate regulatory mechanisms.

The Molecular Machinery of Transcription

RNA Polymerase Enzymes

In eukaryotes, three main RNA polymerases are involved:

- RNA Polymerase I: Transcribes rRNA genes.
- RNA Polymerase II: Transcribes protein-coding genes into pre-mRNA.
- RNA Polymerase III: Transcribes tRNA, 5S rRNA, and other small RNAs.

RNA Polymerase II, responsible for mRNA synthesis, forms a complex with various general transcription factors to initiate transcription.

General Transcription Factors and the Pre-Initiation Complex

The initiation of transcription requires the assembly of a pre-initiation complex (PIC) at the promoter. Essential general transcription factors (GTFs) include:

- TFIID: Recognizes and binds the TATA box via the TATA-binding protein (TBP).
- TFIIB, TFIIF, TFIIE, TFIIH: Sequentially assemble to stabilize the complex and facilitate RNA polymerase II binding and promoter melting.

The process involves:

1. TFIID binding to the TATA box.
2. Recruitment of TFIIB and TFIIF.
3. RNA polymerase II attachment.
4. Recruitment of TFIIE and TFIIH.
5. Promoter melting and initiation of RNA synthesis.

Elongation and Termination

After initiation, RNA polymerase proceeds with elongation, synthesizing RNA in the 5' to 3' direction. During elongation, the enzyme unwinds DNA ahead and re-anneals it behind. Termination signals in eukaryotes are complex, often involving cleavage and polyadenylation signals, while in prokaryotes, specific terminator sequences cause the polymerase to disengage.

Regulation of Transcription: The Key to Gene Expression Control

Regulation of transcription is vital for cellular function and organismal development. Multiple layers of control ensure genes are expressed appropriately in response to internal and external cues.

Promoter and Enhancer Elements

- Promoters: DNA sequences immediately upstream of the gene, containing core elements like the TATA box, initiator (Inr), and downstream promoter elements.
- Enhancers: Distal regulatory sequences that increase transcription levels by serving as binding sites for activator proteins.

Transcription Factors and Co-activators

Transcription factors (TFs) are proteins that bind specific DNA sequences to modulate transcription:

- Activators: Enhance transcription by recruiting co-activators and the transcriptional machinery.
- Repressors: Inhibit transcription by blocking activator binding or recruiting co-repressors.

Co-activators and co-repressors often modify chromatin structure through histone modifications, influencing accessibility.

Chromatin Remodeling and Epigenetic Modifications

- Chromatin state: The packaging of DNA with histones influences gene accessibility.
- Histone modifications: Acetylation, methylation, phosphorylation alter chromatin structure.
- DNA methylation: Addition of methyl groups to cytosines in CpG islands generally represses transcription.

These modifications form an epigenetic code that dynamically regulates gene expression without altering DNA sequence.

Experimental Approaches to Study Transcription: The Pogil Method

The Process-Oriented Guided Inquiry Learning (Pogil) approach emphasizes active learning through inquiry, collaboration, and reflection. Applying Pogil strategies to the study of transcription allows students and researchers to deepen their understanding through structured exploration.

Key steps in a transcription Pogil activity include:

- Analyzing diagrams of the transcription process.
- Identifying components of the transcription machinery.
- Investigating how regulatory elements influence gene expression.
- Predicting outcomes of mutations or environmental changes.
- Designing experiments to test hypotheses about transcription regulation.

This method fosters critical thinking, conceptual understanding, and the ability to connect molecular mechanisms with broader biological contexts.

Applications and Implications of Transcription Research

Understanding transcription has broad implications across medicine, biotechnology, and evolutionary biology.

Medical relevance:

- Aberrant transcription regulation is linked to cancers, genetic disorders, and infectious diseases.
- Targeting transcription factors or modifying epigenetic marks offers therapeutic avenues.

Biotechnological applications:

- Engineering promoters and transcription factors to optimize gene expression in synthetic biology.
- Developing gene therapy vectors with precise transcriptional control.

Evolutionary insights:

- Comparative analysis of transcription mechanisms reveals conserved and divergent features across species.
- Epigenetic modifications contribute to phenotypic plasticity and evolution.

Conclusion

Gene expression, through the process of transcription, is a cornerstone of cellular function and organismal development. The intricate molecular machinery, regulatory networks, and epigenetic modifications coordinate to ensure precise control of gene activity. The "transcription pogil" approach exemplifies how active, inquiry-based learning can deepen understanding of such complex processes, fostering the next generation of scientists and informed citizens.

Advances in transcription research continue to unveil new layers of regulation and potential therapeutic targets, emphasizing the importance of integrating molecular insights with practical applications. As our comprehension of gene expression expands, so too does our ability to manipulate and harness these mechanisms for health, industry, and understanding the fundamental biology of life itself.

Gene Expression Transcription Pogil

gene expression transcription pogil: *Mechanisms of Gene Expression* Robert O. J. Weinzierl, 1999 This book presents much of the current thinking concerning molecular mechanisms of transcriptional control in a form easily accessible to undergraduates with an understanding of basic molecular biology concepts. It contains detailed information about the various pro- and eukaryotic transcriptional machineries that has recently become available through the combined efforts of geneticists, biochemists and structural biologists. The book will thus not only serve as an undergraduate text but also offer something new and interesting to more advanced readers and professional scientists who want to keep up to date with rapid advances in this field.--BOOK JACKET.Title Summary field provided by Blackwell North America, Inc. All Rights Reserved

gene expression transcription pogil: Eukaryotic Transcription Factors David S. Latchman, 2010-07-28 Transcription, or the process by which DNA produces RNA, is a central aspect of gene expression. Transcription factors regulate transcription during development and in disease states. As such, it is critical for researchers to gain a good understanding of the relationship between the structure of various families of transcription factors and their function, as well as roles in human disease. Since publication of the Fourth Edition, there have been major advances, notably in the areas of chromatin remodeling and genome-scale analyses. This complete update includes all new coverage of the latest developments, from enabling genomic technologies to studies on the importance of post-translational modifications beyond phosphorylation events. - Potential of transcription factors as therapeutic targets in human disease - Importance of histone modifications - Use of genome-based sequence analysis and high-throughput methods - Applications of the chromatin immunoprecipitation (ChIP) assay - Transcriptional elongation - Regulation by post-translational modifications - Regulatory networks and bioinformatics

gene expression transcription pogil: Mechanisms Of Gene Expression: Structure, Function And Evolution Of The Basal Transcriptional Machine Robert O J Weinzierl, 1999-08-10 A detailed knowledge of the mechanisms underlying the transcriptional control of gene expression is of

fundamental importance to many areas of contemporary biomedical research, ranging from understanding basic issues (such as control of embryonic development) to practical applications in industry and medicine. Although elementary concepts of gene expression are described in all general molecular biology textbooks, the depth of coverage is often rather limited and recent discoveries are sometimes not adequately taken into consideration. This book presents much of the current thinking concerning molecular mechanisms of transcriptional control in a form easily accessible to undergraduates with an understanding of basic molecular biology concepts. It contains detailed information about the various pro- and eukaryotic transcriptional machineries that has recently become available through the combined efforts of geneticists, biochemists and structural biologists. The book will thus not only serve as an undergraduate text but also offer something new and interesting to more advanced readers and professional scientists who want to keep up to date with rapid advances in this field.

gene expression transcription pogil: Gene Structure and Transcription Trevor John Clark Beebee, Julian Burke, 1988 Emphasizing exciting recent developments in the study of gene structure and transcription processes, this compares and contrasts eukaryotic and prokaryotic gene structure, transcription apparatus and regulation of transcription at molecular level.

gene expression transcription pogil: Transfer and Expression of Eukaryotic Genes H.S. Ginsberg, 2012-12-02 Transfer and Expression of Eukaryotic Genes documents the progress in our understanding of the transfer and expression of eukaryotic genes. This book covers topics organized around three themes: gene expression and its regulation; in vivo gene transfer and development; and viral gene and oncogene systems. This text is divided into three sections encompassing 25 chapters and begins with an overview of the molecular basis of gene expression, with emphasis on transcription complexes that account for transcription control in eukaryotic genes. It then turns to experiments that assess the in vitro stimulatory effect of the SV40 72-bp repeat on specific transcription from heterologous promoter elements using a HeLa whole cell extract. The reader is methodically introduced to the regulation signals and factors of histone gene transcription; transcriptional control of beta-globin and liver-specific genes in mouse cells; and gene transfer in *Drosophila* and the sea urchin *Strongylocentrotus purpuratus*. This book also considers the splicing of messenger RNA precursors and the regulation of thymidine kinase enzyme expression, and then concludes with a chapter that describes the activation of the myc oncogene by chromosomal translocation. This book will be of interest to students and researchers in fields ranging from molecular genetics to microbiology, biochemistry, pathology, and immunology.

gene expression transcription pogil: Gene Expression M. Karin, 2013-03-08 This book is the first volume in a new series Progress in Gene Expression. The control of gene expression is a central-most topic in molecular biology as it deals with the utilization and regulation of gene information. As we see huge efforts mounting all over the developed world to understand the structure and organization of several complex eukaryotic genomes in the form of Gene Projects and Genome Centers, we have to remember that without understanding the basic mechanisms that govern the use of genetic information, much of this effort will not be very productive. Fortunately, however, research during the past seven years on the mechanisms that control gene expression in eukaryotes has been extremely successful in generating a wealth of information on the basic strategies of transcriptional control. (Although regulation of gene expression is exerted at many different levels, much of the emphasis in this series will be on transcriptional control. A future volume, however, will deal with other levels of regulation). The progress in understanding the control of eukaryotic transcription can only be appreciated by realizing that seven years ago we did not know the primary structure of a single sequence specific transcriptional activator, and those whose primary structures were available (e. g. , homeo domain proteins) were not yet recognized to function in this capacity.

gene expression transcription pogil: Interaction of Translational and Transcriptional Controls in the Regulation of Gene Expression Marianne Grunberg-Manago, 2012-12-02 Interaction of Translational and Transcriptional Controls in the Regulation of Gene Expression presents the proceedings of the Fogarty International Conference on Translational/Transcriptional Regulation of

Gene Expression, held at the National Institutes of Health in Bethesda, Maryland, on April 7-9, 1982. Speakers discussed the molecular strategies at work during the modulation of gene expression following transcriptional initiation. They also discussed recent developments in a number of key areas in which transcriptional and translational components interact. Organized into five sections encompassing 36 chapters, this volume explores both prokaryotic and eukaryotic systems, as well as structure-function correlations. It begins with an overview of translational/transcriptional controls in prokaryotes, the regulation of gene expression by transcription termination and RNA processing, and the structure and expression of initiation factor genes. It then examines the effect of the codon context on translational fidelity, including mistranslation of messenger RNA; protein synthesis for the construction of cell architecture; regulation of initiation factor activity; and translational regulation in cells. This book is a valuable resource for Fogarty International Scholars who want to broaden their knowledge and contribute their expertise to the National Institutes of Health community.

gene expression transcription pogil: Gene Expression and Control Fumiaki Uchiumi, 2019-04-17 Transcription is the most fundamental nuclear event, by which the information of nucleotide sequences on DNA is transcribed into RNA by multiple proteins, including RNA polymerases. Transcription determines the functions of proteins and the behaviour of cells, appropriately responding to environmental changes. This book is intended for scientists, especially those who are interested in the future prospect of gene expression and control in medicine and industry. This book consists of 9 chapters, divided into four parts. Each chapter is written by experts both in the basic and applied scientific field. A collection of articles presented by active and laboratory-based investigators provides evidence from the research, giving us a rigid platform to discuss Gene Expression and Control.

gene expression transcription pogil: Transcriptional Regulation in Eukaryotes Michael F. Carey, Stephen T. Smale, 2000 In the genome era, the analysis of gene expression has become a critical requirement in many laboratories. But there has been no comprehensive source of strategic, conceptual, and technical information to guide this often complex task. Transcriptional Regulation in Eukaryotes answers that need. Written by two experienced investigators, Michael Carey and Stephen Smale at the UCLA School of Medicine, and based in part on the Gene Expression course taught at Cold Spring Harbor Laboratory, this book directly addresses all the concerns of a laboratory studying the regulation of a newly isolated gene and the biochemistry of a new transcription factor. This important and unique book is essential reading for anyone pursuing the analysis of gene expression in model systems or disease states.

gene expression transcription pogil: Gene Transcription R. J. White, 2009-04-01 Transcription is the focus of much cutting-edge research, as befits its essential place in biology. The established link between defects in gene transcription and many human disorders has fuelled considerable activity in the biomedical arena, particularly cancer research. This concentration of attention has uncovered a myriad of factors involved in transcription and the literature is now rife with jargon and complexity. Gene Transcription: Mechanisms and Control aims to demystify the subject for a non-expert audience, providing a guided tour around the complex machinery of the transcriptional apparatus and discussing how the various factors achieve their functions. By focusing on general principles and illustrating these with a select group of examples, many of which are linked to human diseases, the author conveys the intricacies of transcriptional control in an accessible manner. With the first chapter presenting an overview of gene expression, this is a 'stand-alone' text, ideal for advanced level undergraduates and postgraduates in biology, biochemistry and medical sciences. It will also appeal to research scientists who require a broad current perspective on this rapidly moving and complex field. Provides a broad and accessible introduction to gene transcription. Up-to-date coverage of the major topics in a rapidly evolving field. Illustrates the links between aberrant transcription and human disease. Explains the jargon associated with transcription factors.

gene expression transcription pogil: Transcriptional Regulation and Genome Structure

Abraham Selby Weintraub, 2018 The regulation of gene expression is fundamental to the control of cell identity, development and disease. The control of gene transcription is a major point in the regulation of gene expression. Transcription is regulated by the binding of transcription factors to DNA regulatory elements known as enhancers and promoters. This leads to the formation of a DNA loop connecting the enhancer and the promoter resulting in the subsequent transcription of the gene. Thus the structuring of the genome into DNA loops is important in the control of gene expression. This thesis will focus on the role of genome structure in transcriptional regulation. Two key questions in this area that I have attempted to address during my PhD are how are enhancer-promoter interactions constrained so that enhancers do not operate nonspecifically? and are there proteins that facilitate enhancer-promoter looping? I will describe the identification of DNA loop structures formed by CTCF and cohesin that constrain enhancer-promoter interactions. These structures-termed insulated neighborhoods-are perturbed in cancer and this perturbation results in the inappropriate activation of oncogenes. Additionally, I will describe the identification and characterization of the transcription factor YY1 as a factor that can structure enhancer-promoter loops. Through a combination of genetics, genomics, and biochemistry, my studies have helped to identify insulated neighborhood structures, shown the importance of these structures in the control of gene expression, revealed that these structures are mutated in cancer, and identified YY1 as a structural regulator of enhancer-promoter loops. I believe these studies have produced a deeper understanding of the regulatory mechanisms that connect the control of genome structure to the control of gene transcription.

gene expression transcription pogil: Gene Expression and Regulation in Mammalian Cells Fumiaki Uchiumi, 2018-02-21 Central dogma was presented by Dr. Francis Crick 60 years ago. The information of nucleotide sequences on DNAs is transcribed into RNAs by RNA polymerases. We learned the mechanisms of how transcription determines function of proteins and behaviour of cells and even how it brings appearances of organisms. This book is intended for scientists and medical researchers especially who are interested in the relationships between transcription and human diseases. This volume consists of an introductory chapter and 14 chapters, divided into 4 parts. Each chapter is written by experts in the basic scientific field. A collection of articles presented by active and laboratory-based investigators provides recent advances and progresses in the field of transcriptional regulation in mammalian cells.

gene expression transcription pogil: Mechanisms of Transcription Bruce Stillman, Cold Spring Harbor Laboratory, 1998 Proceedings of a summer 1998 meeting, presenting results of recent studies in gene transcription. Covers events ranging from activation, through promoter recognition, repression, chromosome structure, chromatin remodeling, initiation and elongation, and regulatory complexes and pathways. Subjects include targeting sir proteins to sites of action, the yeast RNA polymerase III transcription machinery, nuclear matrix attachment regions to confer long-range function on immunoglobulin, ATP-dependent remodeling of chromatin, and the transcriptional basis of steroid physiology. Annotation copyrighted by Book News, Inc., Portland, OR.

gene expression transcription pogil: A Handbook of Transcription Factors Timothy R. Hughes, 2011-05-10 Transcription factors are the molecules that the cell uses to interpret the genome: they possess sequence-specific DNA-binding activity, and either directly or indirectly influence the transcription of genes. In aggregate, transcription factors control gene expression and genome organization, and play a pivotal role in many aspects of physiology and evolution. This book provides a reference for major aspects of transcription factor function, encompassing a general catalogue of known transcription factor classes, origins and evolution of specific transcription factor types, methods for studying transcription factor binding sites in vitro, in vivo, and in silico, and mechanisms of interaction with chromatin and RNA polymerase.

gene expression transcription pogil: Transcription and Splicing B. D. Hames, David M. Glover, 1988 This book gives a co-ordinated review of our present knowledge of eukaryotic RNA synthesis.

gene expression transcription pogil: Mechanisms of Gene Regulation Carsten Carlberg,

Ferdinand Molnár, 2013-12-11 This textbook aims to describe the fascinating area of eukaryotic gene regulation for graduate students in all areas of the biomedical sciences. Gene expression is essential in shaping the various phenotypes of cells and tissues and as such, regulation of expression is a fundamental aspect of nearly all processes in physiology, both in healthy and in diseased states. This pivotal role for the regulation of gene expression makes this textbook essential reading from students of all the biomedical sciences in order to be better prepared for their specialized disciplines. A complete understanding of transcription factors and the processes that alter their activity is a major goal of modern life science research. The availability of the whole human genome sequence (and that of other eukaryotic genomes) and the consequent development of next-generation sequencing technologies have significantly changed nearly all areas of the biological sciences. For example, the genome-wide location of histone modifications and transcription factor binding sites, such as provided by the ENCODE consortium, has greatly improved our understanding of gene regulation. Therefore, the focus of this book is the description of the post-genome understanding of gene regulation. The purpose of this book is to provide, in a condensed form, an overview on the present understanding of the mechanisms of gene regulation. The authors are not aiming to compete with comprehensive treatises, but rather focus on the essentials. Therefore, the authors have favored a high figure-to-text ratio following the rule which states that "a picture tells more than thousand words". The content of the book is based on the lecture course, which is given by Prof. Carlberg since 2001 at the University of Eastern Finland in Kuopio. The book is subdivided into 4 sections and 13 chapters. Following the Introduction there are three sections, which take a view on gene regulation from the perspective of transcription factors, chromatin and non-coding RNA, respectively. Besides its value as a textbook, Mechanisms of Gene Regulation will be a useful reference for individuals working in biomedical laboratories.

gene expression transcription pogil: Gene Expression G. S. Miglani, 2014 GENE EXPRESSION provides a comprehensive coverage on the structure, organization, evolution, function, expression (transcription and translation), and regulation of gene in bacteria, viruses, and eukaryotes. The book will also deal with often ignored but very essential aspect of gene expression, i.e., chromatin (DNA and protein) modifications that affect gene expression in bacteria, viruses, and eukaryotes. Recent progresses have been discussed. Nobel Prize winning work finds a special mention. Various terms in the subject have been defined in context of the present day knowledge. For this, there is a separate section on glossary of important terms in the book. Recent literature relevant to the subject matter has been cited and complete references are provided to the reader at the end of the subject matter. In addition, references for further reading have also been suggested. Efforts will be made to pin-point applications/implications of different discoveries in the area of molecular genetics. Text is supported by well drawn figures and tables.

gene expression transcription pogil: Translational Control of Gene Expression Nahum Sonenberg, John W. B. Hershey, Michael B. Mathews, 2001 Since the 1996 publication of Translational Control, there has been fresh interest in protein synthesis and recognition of the key role of translation control mechanisms in regulating gene expression. This new monograph updates and expands the scope of the earlier book but it also takes a fresh look at the field. In a new format, the first eight chapters provide broad overviews, while each of the additional twenty-eight has a focus on a research topic of more specific interest. The result is a thoroughly up-to-date account of initiation, elongation, and termination of translation, control mechanisms in development in response to extracellular stimuli, and the effects on the translation machinery of virus infection and disease. This book is essential reading for students entering the field and an invaluable resource for investigators of gene expression and its control.

gene expression transcription pogil: Post-transcriptional Control of Gene Expression Orna Resnekov, Alexander von Gabain, 2013-06-29 Many important cellular processes rely on posttranscriptional control of gene expression. This book describes the mechanisms of gene expression at this level that occur in the cytoplasm of prokaryotes and eukaryotes. Several introductory chapters discuss the general principles of translation and mRNA stability. The

interactions of mature mRNA with the translational machinery, the components of mRNA degradation and antisense RNA are surveyed. Subsequent chapters discuss protein folding, transport, modification and degradation. The book is an invaluable source of information for both newcomers and those wishing an overview of the field.

gene expression transcription pogil: Gene Transcription B. D. Hames, Steve J. Higgins, 1993

Related to gene expression transcription pogil

GeneCards - Human Genes | Gene Database | Gene Search The knowledgebase automatically integrates gene-centric data from ~200 web sources, including genomic, transcriptomic, proteomic, genetic, clinical and functional information

Advanced Search - GeneCards The GeneCards human gene database index: 1 7 A B C D E F G H I J K L M N O P Q R S T U V W X Y Z Terms and Conditions User Feedback Privacy Policy

MT-CYB Gene - GeneCards | CYB Protein | CYB Antibody Complete information for MT-CYB gene (Protein Coding), Mitochondrially Encoded Cytochrome B, including: function, proteins, disorders, pathways, orthologs, and expression

CTNNB1 Gene - GeneCards | CTNB1 Protein | CTNB1 Antibody The protein encoded by this gene is part of a complex of proteins that constitute adherens junctions (AJs). AJs are necessary for the creation and maintenance of epithelial cell

BRAF Gene - GeneCards | BRAF Protein | BRAF Antibody This gene encodes a protein belonging to the RAF family of serine/threonine protein kinases. This protein plays a role in regulating the MAP kinase/ERK signaling pathway, which

HK1 Gene - GeneCards | HXK1 Protein | HXK1 Antibody This gene encodes a ubiquitous form of hexokinase which localizes to the outer membrane of mitochondria. Mutations in this gene have been associated with hemolytic

KDR Gene - GeneCards | VGFR2 Protein | VGFR2 Antibody This gene encodes one of the two receptors of the VEGF. This receptor, known as kinase insert domain receptor, is a type III receptor tyrosine kinase. It functions as the main

SMAD2 Gene - GeneCards | SMAD2 Protein | SMAD2 Antibody The protein encoded by this gene belongs to the SMAD, a family of proteins similar to the gene products of the Drosophila gene 'mothers against decapentaplegic' (Mad) and the

CTLA4 Gene - GeneCards | CTLA4 Protein | CTLA4 Antibody This gene is a member of the immunoglobulin superfamily and encodes a protein which transmits an inhibitory signal to T cells. The protein contains a V domain, a

ENPP1 Gene - GeneCards | ENPP1 Protein | ENPP1 Antibody This gene is a member of the ecto-nucleotide pyrophosphatase/phosphodiesterase (ENPP) family. The encoded protein is a type II transmembrane glycoprotein comprising two

GeneCards - Human Genes | Gene Database | Gene Search The knowledgebase automatically integrates gene-centric data from ~200 web sources, including genomic, transcriptomic, proteomic, genetic, clinical and functional information

Advanced Search - GeneCards The GeneCards human gene database index: 1 7 A B C D E F G H I J K L M N O P Q R S T U V W X Y Z Terms and Conditions User Feedback Privacy Policy

MT-CYB Gene - GeneCards | CYB Protein | CYB Antibody Complete information for MT-CYB gene (Protein Coding), Mitochondrially Encoded Cytochrome B, including: function, proteins, disorders, pathways, orthologs, and expression

CTNNB1 Gene - GeneCards | CTNB1 Protein | CTNB1 Antibody The protein encoded by this gene is part of a complex of proteins that constitute adherens junctions (AJs). AJs are necessary for the creation and maintenance of epithelial cell

BRAF Gene - GeneCards | BRAF Protein | BRAF Antibody This gene encodes a protein belonging to the RAF family of serine/threonine protein kinases. This protein plays a role in regulating the MAP kinase/ERK signaling pathway, which

HK1 Gene - GeneCards | HXK1 Protein | HXK1 Antibody This gene encodes a ubiquitous form of hexokinase which localizes to the outer membrane of mitochondria. Mutations in this gene have been associated with hemolytic

KDR Gene - GeneCards | VEGFR2 Protein | VEGFR2 Antibody This gene encodes one of the two receptors of the VEGF. This receptor, known as kinase insert domain receptor, is a type III receptor tyrosine kinase. It functions as the main

SMAD2 Gene - GeneCards | SMAD2 Protein | SMAD2 Antibody The protein encoded by this gene belongs to the SMAD, a family of proteins similar to the gene products of the Drosophila gene 'mothers against decapentaplegic' (Mad) and the

CTLA4 Gene - GeneCards | CTLA4 Protein | CTLA4 Antibody This gene is a member of the immunoglobulin superfamily and encodes a protein which transmits an inhibitory signal to T cells. The protein contains a V domain, a

ENPP1 Gene - GeneCards | ENPP1 Protein | ENPP1 Antibody This gene is a member of the ecto-nucleotide pyrophosphatase/phosphodiesterase (ENPP) family. The encoded protein is a type II transmembrane glycoprotein comprising two

GeneCards - Human Genes | Gene Database | Gene Search The knowledgebase automatically integrates gene-centric data from ~200 web sources, including genomic, transcriptomic, proteomic, genetic, clinical and functional information

Advanced Search - GeneCards The GeneCards human gene database index: 1 7 A B C D E F G H I J K L M N O P Q R S T U V W X Y Z Terms and Conditions User Feedback Privacy Policy

MT-CYB Gene - GeneCards | CYB Protein | CYB Antibody Complete information for MT-CYB gene (Protein Coding), Mitochondrially Encoded Cytochrome B, including: function, proteins, disorders, pathways, orthologs, and expression

CTNNB1 Gene - GeneCards | CTNNB1 Protein | CTNNB1 Antibody The protein encoded by this gene is part of a complex of proteins that constitute adherens junctions (AJs). AJs are necessary for the creation and maintenance of epithelial cell

BRAF Gene - GeneCards | BRAF Protein | BRAF Antibody This gene encodes a protein belonging to the RAF family of serine/threonine protein kinases. This protein plays a role in regulating the MAP kinase/ERK signaling pathway, which

HK1 Gene - GeneCards | HXK1 Protein | HXK1 Antibody This gene encodes a ubiquitous form of hexokinase which localizes to the outer membrane of mitochondria. Mutations in this gene have been associated with hemolytic

KDR Gene - GeneCards | VEGFR2 Protein | VEGFR2 Antibody This gene encodes one of the two receptors of the VEGF. This receptor, known as kinase insert domain receptor, is a type III receptor tyrosine kinase. It functions as the main

SMAD2 Gene - GeneCards | SMAD2 Protein | SMAD2 Antibody The protein encoded by this gene belongs to the SMAD, a family of proteins similar to the gene products of the Drosophila gene 'mothers against decapentaplegic' (Mad) and the

CTLA4 Gene - GeneCards | CTLA4 Protein | CTLA4 Antibody This gene is a member of the immunoglobulin superfamily and encodes a protein which transmits an inhibitory signal to T cells. The protein contains a V domain, a

ENPP1 Gene - GeneCards | ENPP1 Protein | ENPP1 Antibody This gene is a member of the ecto-nucleotide pyrophosphatase/phosphodiesterase (ENPP) family. The encoded protein is a type II transmembrane glycoprotein comprising two

GeneCards - Human Genes | Gene Database | Gene Search The knowledgebase automatically integrates gene-centric data from ~200 web sources, including genomic, transcriptomic, proteomic, genetic, clinical and functional information

Advanced Search - GeneCards The GeneCards human gene database index: 1 7 A B C D E F G H I J K L M N O P Q R S T U V W X Y Z Terms and Conditions User Feedback Privacy Policy

MT-CYB Gene - GeneCards | CYB Protein | CYB Antibody Complete information for MT-CYB gene (Protein Coding), Mitochondrially Encoded Cytochrome B, including: function, proteins,

disorders, pathways, orthologs, and expression

CTNNB1 Gene - GeneCards | CTNB1 Protein | CTNB1 Antibody The protein encoded by this gene is part of a complex of proteins that constitute adherens junctions (AJs). AJs are necessary for the creation and maintenance of epithelial cell

BRAF Gene - GeneCards | BRAF Protein | BRAF Antibody This gene encodes a protein belonging to the RAF family of serine/threonine protein kinases. This protein plays a role in regulating the MAP kinase/ERK signaling pathway, which

HK1 Gene - GeneCards | HXK1 Protein | HXK1 Antibody This gene encodes a ubiquitous form of hexokinase which localizes to the outer membrane of mitochondria. Mutations in this gene have been associated with hemolytic

KDR Gene - GeneCards | VGFR2 Protein | VGFR2 Antibody This gene encodes one of the two receptors of the VEGF. This receptor, known as kinase insert domain receptor, is a type III receptor tyrosine kinase. It functions as the main

SMAD2 Gene - GeneCards | SMAD2 Protein | SMAD2 Antibody The protein encoded by this gene belongs to the SMAD, a family of proteins similar to the gene products of the Drosophila gene 'mothers against decapentaplegic' (Mad) and the

CTLA4 Gene - GeneCards | CTLA4 Protein | CTLA4 Antibody This gene is a member of the immunoglobulin superfamily and encodes a protein which transmits an inhibitory signal to T cells. The protein contains a V domain, a

ENPP1 Gene - GeneCards | ENPP1 Protein | ENPP1 Antibody This gene is a member of the ecto-nucleotide pyrophosphatase/phosphodiesterase (ENPP) family. The encoded protein is a type II transmembrane glycoprotein comprising two

GeneCards - Human Genes | Gene Database | Gene Search The knowledgebase automatically integrates gene-centric data from ~200 web sources, including genomic, transcriptomic, proteomic, genetic, clinical and functional information

Advanced Search - GeneCards The GeneCards human gene database index: 1 7 A B C D E F G H I J K L M N O P Q R S T U V W X Y Z Terms and Conditions User Feedback Privacy Policy

MT-CYB Gene - GeneCards | CYB Protein | CYB Antibody Complete information for MT-CYB gene (Protein Coding), Mitochondrially Encoded Cytochrome B, including: function, proteins, disorders, pathways, orthologs, and expression

CTNNB1 Gene - GeneCards | CTNB1 Protein | CTNB1 Antibody The protein encoded by this gene is part of a complex of proteins that constitute adherens junctions (AJs). AJs are necessary for the creation and maintenance of epithelial cell

BRAF Gene - GeneCards | BRAF Protein | BRAF Antibody This gene encodes a protein belonging to the RAF family of serine/threonine protein kinases. This protein plays a role in regulating the MAP kinase/ERK signaling pathway, which

HK1 Gene - GeneCards | HXK1 Protein | HXK1 Antibody This gene encodes a ubiquitous form of hexokinase which localizes to the outer membrane of mitochondria. Mutations in this gene have been associated with hemolytic

KDR Gene - GeneCards | VGFR2 Protein | VGFR2 Antibody This gene encodes one of the two receptors of the VEGF. This receptor, known as kinase insert domain receptor, is a type III receptor tyrosine kinase. It functions as the main

SMAD2 Gene - GeneCards | SMAD2 Protein | SMAD2 Antibody The protein encoded by this gene belongs to the SMAD, a family of proteins similar to the gene products of the Drosophila gene 'mothers against decapentaplegic' (Mad) and the

CTLA4 Gene - GeneCards | CTLA4 Protein | CTLA4 Antibody This gene is a member of the immunoglobulin superfamily and encodes a protein which transmits an inhibitory signal to T cells. The protein contains a V domain, a

ENPP1 Gene - GeneCards | ENPP1 Protein | ENPP1 Antibody This gene is a member of the ecto-nucleotide pyrophosphatase/phosphodiesterase (ENPP) family. The encoded protein is a type II transmembrane glycoprotein comprising two

Related Articles

- [bury my heart at wounded knee pdf](#)
- [economics - colander pdf](#)
- [cost of discipleship pdf](#)

[Back to Home](#)