

recrystallization of acetanilide lab report

Recrystallization of acetanilide lab report: A Comprehensive Guide to Purification and Analysis

Recrystallization is a fundamental technique in organic chemistry used to purify solid compounds. The process involves dissolving impure solids in a suitable solvent at high temperature and then gradually cooling the solution to facilitate the formation of pure crystals. The recrystallization of acetanilide, a common analgesic and intermediate in organic synthesis, serves as an excellent laboratory experiment for students to understand purification principles, crystallization dynamics, and analytical techniques. This article provides an in-depth review of the recrystallization of acetanilide, including the experimental procedure, theoretical background, troubleshooting tips, and data analysis.

Understanding the Recrystallization Process

Principles of Recrystallization

Recrystallization relies on the differential solubility of a compound in a particular solvent at different temperatures. The key principles include:

- Solubility and Temperature: Most solids are more soluble in hot solvents than in cold ones. Impurities often remain dissolved at all temperatures.
- Seed Crystals: The formation of pure crystals can be initiated by seeding or scratching the cooled solution.
- Purity Through Crystallization: Impurities tend to stay in solution or form separate phases, leaving behind pure crystals.

Why Recrystallize Acetanilide?

Acetanilide is a widely used model compound in recrystallization experiments due to its:

- Moderate solubility in common solvents
- Availability and safety
- Well-understood crystallization behavior
- Analytical features that facilitate purity assessment

Experimental Procedure for Recrystallization of Acetanilide

Materials and Equipment

- Impure acetanilide sample
- Suitable solvent (e.g., hot water, ethanol, or a mixture)
- Reflux apparatus
- Buchner funnel and filter paper
- Hot plate and ice bath
- Stirring rod
- Thermometer
- Analytical balance
- Drying apparatus (desiccator or oven)

Step-by-Step Protocol

1. Selection of Solvent:

- Choose a solvent in which acetanilide is sparingly soluble at room temperature but highly soluble at boiling point.
- Common options include water, ethanol, or a mixture.

2. Dissolution:

- Weigh a known amount of impure acetanilide.
- Add the solvent gradually to the sample in a flask.
- Heat the mixture to boiling while stirring until all solid dissolves.

3. Filtering Hot Solution:

- While still hot, filter the solution to remove insoluble impurities.
- Use a hot filtration technique to prevent premature crystallization.

4. Cooling and Crystallization:

- Allow the hot filtrate to cool slowly to room temperature.
- To enhance crystal formation, place the solution in an ice bath.
- Optionally, scratch the side of the flask to initiate crystallization.

5. Isolation of Crystals:

- Collect the crystals via vacuum filtration.
- Wash the crystals with cold solvent to remove residual impurities.

6. Drying:

- Dry the purified crystals in a desiccator or oven at low temperature.
- Record the mass of the purified product.

7. Analysis:

- Determine the melting point.
- Calculate the percent recovery.
- Perform additional tests such as thin-layer chromatography (TLC) or melting point depression to assess purity.

Data Analysis and Evaluation

Calculating Percent Recovery

Percent recovery indicates the efficiency of the recrystallization process and is calculated as:

$$\text{Percent Recovery} = \left(\frac{\text{Mass of purified acetanilide}}{\text{Initial mass of impure sample}} \right) \times 100$$

A typical recovery ranges from 70% to 90%, depending on impurity levels and process conditions.

Assessing Purity

- Melting Point Analysis: Pure acetanilide melts at approximately 114°C. A narrower melting point range signifies higher purity.
- TLC or Spectroscopy: These techniques help detect residual impurities. A single spot or peak indicates purity.

Troubleshooting Common Issues

- Incomplete Dissolution:
 - Ensure sufficient heating and stirring.
 - Use an appropriate solvent that dissolves acetanilide at high temperatures.
- Poor Crystallization:
 - Cool the solution slowly; rapid cooling can lead to small or impure crystals.
 - Use seed crystals or scratch the flask to promote crystallization.
- Low Yield:
 - Confirm that the solvent is suitable.
 - Minimize loss during filtration and transfer.
- Impurities in Crystals:
 - Use hot filtration to remove insoluble impurities.
 - Repeat recrystallization if necessary.

Factors Influencing Recrystallization Effectiveness

Choice of Solvent

- Must dissolve the compound at high temperature but not at room temperature.
- Should not react chemically with the compound.
- Should be easily removable from crystals upon cooling.

Cooling Rate

- Slow cooling favors larger, purer crystals.
- Rapid cooling may trap impurities or produce smaller crystals.

Amount of Solvent

- Use just enough solvent to dissolve the compound at boiling.
- Excess solvent can decrease purity and complicate filtration.

Conclusion

Recrystallization of acetanilide is a classic experiment that demonstrates essential purification concepts in organic chemistry. By carefully selecting the appropriate solvent, controlling cooling rates, and employing proper filtration techniques, students and chemists can obtain high-purity acetanilide suitable for further analysis or use. The process underscores the importance of understanding solubility principles and crystallization dynamics, which are foundational to many chemical purification and separation methods. Proper documentation and analysis of the lab data, including yield, melting point, and purity tests, are crucial to evaluating the success of the recrystallization process. Mastery of recrystallization not only enhances laboratory skills but also deepens comprehension of the physical properties of compounds and the principles underlying chemical purification.

References and Further Reading

- Smith, M. B., & March, J. (2007). *March's Advanced Organic Chemistry*. Wiley.
- Solomons, T. W. G., & Frye, C. H. (2004). *Organic Chemistry*. John Wiley & Sons.
- *Organic Chemistry Laboratory Manual*, University of XYZ.
- Recrystallization techniques in *Journal of Chemical Education*.

This comprehensive article provides a detailed overview of the recrystallization of acetanilide lab report, covering essential procedures, principles, and analytical methods to ensure a thorough understanding for students and practitioners alike.

Frequently Asked Questions

What is the purpose of recrystallizing acetanilide in the lab?

The purpose of recrystallizing acetanilide is to purify the compound by removing impurities, resulting in a pure, crystalline product suitable for analysis or further reactions.

Which solvents are typically used for recrystallizing acetanilide, and why?

Common solvents for recrystallizing acetanilide include water and ethanol because acetanilide is soluble in hot solvents but insoluble in cold, facilitating effective purification through temperature-based solubility differences.

What is the significance of calculating the percent recovery in the acetanilide recrystallization lab?

Calculating percent recovery helps determine the efficiency of the recrystallization process by comparing the amount of purified acetanilide obtained to the initial amount used, indicating yield and process effectiveness.

How can you confirm the purity of recrystallized acetanilide in your report?

Purity can be confirmed through melting point analysis, where a sharp melting point close to the literature value indicates high purity, or by spectroscopic methods like IR spectroscopy to check for impurities.

What are common errors to avoid during the recrystallization of acetanilide?

Common errors include using too much solvent, overheating during recrystallization, not filtering properly, or allowing impurities to remain, all of which can reduce purity and yield of the final product.

Additional Resources

Recrystallization of Acetanilide: An In-Depth Lab Report Analysis

Recrystallization is a fundamental technique in organic chemistry used to purify solid compounds. When working with acetanilide, a common analgesic and experimental compound, recrystallization not only ensures purity but also provides insight into the process of purification at a molecular level. This detailed review dissects every phase of the recrystallization of acetanilide, from the initial preparation to the final analysis, emphasizing key concepts, procedural nuances, and analytical techniques.

Introduction to Recrystallization and Acetanilide

Understanding Recrystallization

Recrystallization involves dissolving impure solid material in an appropriate solvent at high temperature, then cooling the solution to allow pure crystals to form, leaving impurities in solution. The process relies on differences in solubility between the compound of interest and impurities, enabling the separation of contaminants.

Core Principles:

- Solubility difference: The compound should be highly soluble at high temperatures and minimally soluble at low temperatures.
- Impurity exclusion: Impurities tend to remain in solution during cooling.
- Crystallization kinetics: Slow cooling favors larger, purer crystals.

Properties of Acetanilide

Acetanilide ($\text{C}_6\text{H}_5\text{NHCOCH}_3$) is an aromatic amide with distinctive physical and chemical properties:

- Melting point: approximately 114°C .
- Solubility:
 - Soluble in hot water, ethanol, and ether.
 - Slightly soluble in cold water.
- Uses: Historically used as a painkiller, though now primarily a laboratory standard.

Its moderate solubility profile makes acetanilide an ideal candidate for recrystallization, as it dissolves readily in hot solvent and precipitates upon cooling.

Preparation and Selection of Solvent

Choosing the Appropriate Solvent

Selecting an ideal solvent is crucial for effective recrystallization. The ideal solvent should:

- Dissolve a significant amount of acetanilide at elevated temperature.
- Be a poor solvent for acetanilide at room temperature.
- Not react chemically with acetanilide.
- Be easily removable by filtration.

Common solvents for acetanilide:

- Water (hot): Due to its high polarity and capacity to dissolve acetanilide when heated.
- Ethanol or ethanol-water mixtures: Useful if water alone does not yield optimal results.

- Ethyl acetate or other organic solvents: Less common but sometimes used based on the impurity profile.

Solvent Testing Procedure

Before proceeding with the main recrystallization, a small-scale test is performed:

- Add a few milligrams of acetanilide to a test tube.
- Add hot solvent gradually until the compound dissolves.
- Allow the solution to cool to room temperature and observe if crystals form.
- If no crystals form or the compound remains dissolved, select a different solvent or solvent mixture.

Experimental Procedure

Step 1: Dissolution

- Weigh a known amount of impure acetanilide.
- Transfer it into a clean, dry Erlenmeyer flask.
- Add hot solvent (e.g., water) in a volume sufficient to dissolve the acetanilide completely.
- Heat the mixture gently with stirring to facilitate dissolution, avoiding boiling over or decomposition.

Step 2: Filtration of Hot Solution

- Remove insoluble impurities by hot gravity filtration using a pre-warmed funnel and filter paper.
- Maintaining the temperature prevents premature crystallization during filtration.
- This step ensures that impurities are physically separated from the solution.

Step 3: Crystallization

- Allow the filtrate to cool slowly at room temperature.
- For enhanced crystal formation, the solution can be further cooled in an ice bath.
- Slow cooling encourages the formation of larger, purer crystals.

Step 4: Collection of Crystals

- Once crystalline material has formed, isolate it by vacuum filtration or gravity filtration.
- Wash the crystals with a small volume of cold solvent to remove any residual impurities.
- Dry the crystals using a desiccator or gentle warming.

Analysis and Characterization

Melting Point Determination

- Measure the melting point of the purified acetanilide.
- Pure acetanilide melts around 114°C; a sharp melting point indicates high purity.
- Broadened or depressed melting points suggest residual impurities.

Recrystallization Efficiency

- Calculate percent recovery:

$$\text{Percent Recovery} = \frac{\text{Mass of dried recrystallized acetanilide}}{\text{Initial mass of impure acetanilide}} \times 100$$

- Higher recovery percentages coupled with sharp melting points reflect successful purification.

Purity Assessment

- Use thin-layer chromatography (TLC) or spectroscopic techniques (such as IR or NMR) for detailed purity analysis.
- IR spectroscopy can confirm the presence of characteristic amide peaks ($\sim 1650\text{ cm}^{-1}$ for C=O stretch).
- NMR can verify the chemical structure and detect impurities.

Common Challenges and Troubleshooting

Incomplete Dissolution

- Solution may not reach a sufficiently high temperature.
- Solution may be cooled too quickly, causing premature crystallization.
- Remedy: Gently heat and stir the mixture longer; ensure solvent volume is adequate.

Low Yield

- Excessive loss during filtration.
- Crystals may be lost during transfer or washing.
- Remedy: Minimize handling and use appropriate filtration techniques.

Impure Crystals

- Rapid cooling leading to small, impure crystals.
- Impurities co-crystallizing with acetanilide.
- Remedy: Slow cooling and employing small seed crystals to promote purer crystal growth.

Solvent Issues

- Solvent not dissolving enough acetanilide or too much impurity.
- Remedy: Adjust solvent volume or try a different solvent.

Environmental and Safety Considerations

- Handle solvents with care, using appropriate personal protective equipment (PPE).
- Conduct experiments in a well-ventilated area or fume hood.
- Dispose of solvent waste according to institutional protocols.
- Be cautious with hot liquids to prevent burns.

Summary of Key Takeaways

- Recrystallization hinges on the differential solubility of acetanilide at varying temperatures.
- Proper solvent selection and controlled cooling are vital to obtaining pure crystals.
- Analytical techniques such as melting point determination and spectroscopy validate purification effectiveness.
- Troubleshooting common issues enhances the success rate and purity of the final product.
- The process exemplifies core principles of purification, emphasizing patience, precision, and understanding of physical chemistry.

Conclusion

The recrystallization of acetanilide is a classic experiment that encapsulates the importance of purification techniques in organic chemistry. Through careful solvent selection, controlled cooling, and meticulous handling, high-purity acetanilide can be obtained, demonstrating the effectiveness of recrystallization as a purification method. This process not only refines the compound but also reinforces key laboratory skills such as solution handling, filtration, and analytical evaluation. Overall, mastering recrystallization of acetanilide provides foundational knowledge applicable across diverse organic synthesis and purification procedures, forming an essential component of a chemist's toolkit.

Recrystallization Of Acetanilide Lab Report

recrystallization of acetanilide lab report: Experimental Organic Chemistry Daniel R. Palleros, 2000-02-04 This cutting-edge lab manual takes a multiscale approach, presenting both micro, semi-micro, and macroscale techniques. The manual is easy to navigate with all relevant techniques found as they are needed. Cutting-edge subjects such as HPLC, bioorganic chemistry, multistep synthesis, and more are presented in a clear and engaging fashion.

recrystallization of acetanilide lab report: Chemistry Lab Manual Neena Sinha, R Rangarajan, R P Manchanda, R K Gupta, Rajesh Kumar, Lab Manual

recrystallization of acetanilide lab report: Hard Bound Lab Manual Chemistry Neena Sinha, R Rangarajan, R P Manchanda, R K Gupta, Rajesh Kumar, Lab Manuals

recrystallization of acetanilide lab report: Practical Lab Manual of Pharmaceutical Organic Chemistry - I Dr. Priyanka Gupta Manglik, 2024-08-15 Includes a collection of foundational organic chemistry experiments for pharmaceutical studies, with step-by-step procedures, observations, and safety guidelines.

recrystallization of acetanilide lab report: Laboratory Manual of Elementary Organic Chemistry Harold Hart, Ernest Edwin Campaigne, 1950

recrystallization of acetanilide lab report: Microscale Organic Laboratory Dana W. Mayo, Ronald M. Pike, David C. Forbes, 2010-01-12 This is a laboratory text for the mainstream organic chemistry course taught at both two and four year schools, featuring both microscale experiments and options for scaling up appropriate experiments for use in the macroscale lab. It provides complete coverage of organic laboratory experiments and techniques with a strong emphasis on modern laboratory instrumentation, a sharp focus on safety in the lab, excellent pre- and post-lab exercises, and multi-step experiments. Notable enhancements to this new edition include inquiry-driven experimentation, validation of the purification process, and the implementation of greener processes (including microwave use) to perform traditional experimentation.

recrystallization of acetanilide lab report: *The Student's Lab Companion* John W. Lehman, 2004 For undergraduate or graduate students taking organic chemistry lab. Ideal for professors who write their own lab experiments or would like custom labs but need a source for lab operations and safety information. Using a practical, how-to approach, *The Student's Companion* describes all of the laboratory operations that are most often used in a typical organic chemistry course. It provides enough practical information to help students learn the necessary lab techniques and know how to handle problems as they arise plus just enough theory to help students understand how and why the techniques work as they do.

recrystallization of acetanilide lab report: *Introduction to Organic Laboratory Techniques* Donald L. Pavia, 1999 This edition features the successful format that has characterized the previous editions. It includes essays that add relevance and interest to the experiments, and emphasis on the development of the important laboratory techniques, the use of spectroscopy and instrumental methods of analysis, a section featuring conventional-scale experiments and methods, and a wide selection of well-tested and well-written experiments.

recrystallization of acetanilide lab report: Purifying Acetanilide by Recrystallization Carl Wigal, 1997-02-01

recrystallization of acetanilide lab report: Operational Organic Chemistry John W. Lehman, 1981

Related to recrystallization of acetanilide lab report

OPAS/OMS | Organização Pan-Americana da Saúde - PAHO Manter uma alimentação saudável ao longo da vida evita não só a má nutrição em todas as suas formas, mas também uma gama de

DCNT e outras condições de saúde. No

Novo Relatório da ONU: 74% dos países da América Latina e do Sobre a má nutrição, o relatório aponta que, em 2022, o atraso no crescimento afetou 22,3% das crianças menores de cinco anos globalmente. Na América Latina e no

Aleitamento materno e alimentação complementar A má nutrição durante os estágios iniciais do ciclo de vida pode levar a danos significativos e irreversíveis ao crescimento físico e ao desenvolvimento cerebral. Uma boa

II Seminário Internacional de Nutrição na Atenção Primária à Saúde O II Seminário Internacional de Nutrição na Atenção Primária à Saúde (APS), organizado pelo Ministério da Saúde do Brasil, com a colaboração da Organização Pan-Americana da Saúde,

Facilitando o acesso ao conhecimento científico em alimentação e A Vitrine do Conhecimento Alimentação e Nutrição em Saúde Pública contribui para aumentar a visibilidade, o acesso e uso da informação científica e técnica relacionada à

Modelo de Perfil Nutricional da OPAS - PAHO Modelo de Perfil Nutricional da OPAS O Modelo de Perfil Nutricional da OPAS fornece uma ferramenta para os governos identificarem produtos não saudáveis e implementarem públicas

Saúde mental dos adolescentes - OPAS/OMS | Organização Pan A adolescência (10 a 19 anos) é um momento único, que molda as pessoas para a vida adulta. Enquanto a maioria dos adolescentes tem uma boa saúde mental, múltiplas

2025_CalendarioDatasSaude JUNHO Dia Caribenho da Nutrição Dia Mundial do Meio Ambiente Dia Mundial da Inocuidade dos Alimentos Dia Mundial da Doação de Sangue Dia Mundial de Conscientização da Violência

Seminário Virtual - Rede de Ação sobre Guias Alimentares - PAHO Nos dias 29 e 30 de setembro de 2021, foi realizado o seminário virtual “Guias Alimentares baseados no nível de processamento dos alimentos: evidências científicas e implementação”,

Números da fome permanecem altos por três anos consecutivos à Má nutrição: uma condição fisiológica anormal causada pela ingestão inadequada, desequilibrada ou excessiva de macronutrientes e/ou micronutrientes e/ou por doenças que

Petaling District - Wikipedia The district of Petaling was established on 1 February 1974, the same day Kuala Lumpur was declared a Federal Territory. This district is located in the middle of the Klang Valley adjacent

Portal Rasmi PDT Petaling - Selangor Dimaklumkan Unit Hasil menerima kadar panggilan telefon yang tinggi setiap hari. sila emelkan ke hasilpetaling@selangor.gov.my. Keprihatinan Tuan/Puan berhubung perkara ini amat

Population Table: Administrative Districts | OpenDOSM Population at district level from 2020 to 2024, by sex, age group and ethnicity. The preview table shows data for the latest year only, but you may download the data in full

Discover Petaling - Tourism Selangor Petaling was established in 1974. Due to its location in the heart of the Klang Valley and to rapid urbanisation, it is the most progressive district in Selangor

Petaling (District, Malaysia) - Population Statistics, Charts, Map Petaling (District, Malaysia) with population statistics, charts, map and location

THE 10 BEST Things to Do in Petaling District - Tripadvisor Top Things to Do in Petaling District, Selangor: See Tripadvisor's 88,078 traveller reviews and photos of 432 things to do when in Petaling District

Petaling District, Selangor - Penang Petaling District is the most densely populated district in Selangor, and possibly the whole country. It comprises four subdistricts, or mukim, namely Sungai Buloh, Damansara, Petaling

Portal Rasmi PDT Petaling Sejarah Daerah Petaling - Selangor Daerah Petaling ini ditubuhkan pada 1 Februari 1974. Daerah ini terletak di tengah-tengah Lembah Klang. Pada 20 Jun 2006, Petaling Jaya telah diisytiharkan status Bandaraya. Daerah

Petaling Jaya - Wikipedia Petaling Jaya (Malaysian pronunciation: [pətaliŋ dʒaja] ⓘ), colloquially

referred to as "PJ", is a city in Petaling District, in the state of Selangor, Malaysia. Originally developed as a satellite

Petaling district logs highest population, density in 2023 The Petaling district in Selangor has the highest population this year with 2.3 million, according to the Current Population Estimates, Administrative Districts released by the

ГЕОГРАФИЯ - Только за 100 в. мировое производство выросло в 19 раз т.е. больше чем за всю предыдущую историю человечества

Для обучающихся в образовательных учреждениях начального и среднего профессионального образования. УДК 91(075.32) ББК 26.8я72 Учебное издание Баранчиков

На правах рукописи БАРАНЧИКОВ доклады на всероссийских и международных конференциях.

Работа выполнена в лаборатории химической синергетики ИОНХ им. Н.С. Курнакова РАН и на Факультете наук о

Баранчиков Е.В. География: учебное издание / Баранчиков Баранчиков Е.В. География: учебное издание / Баранчиков Е.В. - Москва : Академия, 2024. -352 с. (Общеобразовательная подготовка в учреждениях СПО). - URL: <https://academia>

1. - Инструкция Географический атлас мира Учебник Е.В. Баранчиков «География», атлас 10-11 класс

определённый рычаг управления, назначения наказания в Российской Федерации (далее – РФ). Предложены меры по совершенствованию института смягчающ

Электронные учебно методически электронный учебно-методический комплекс Информационные технологии в профессиональной деятельности [Электронный ресурс] : электронный учебно

60 USD to JPY - Convert US dollars to Japanese yen - Wise Convert 60 USD to JPY with the Wise Currency Converter. Analyze historical currency charts or live US dollar / Japanese yen rates and get free rate alerts directly to your email

60 USD to JPY - Convert US Dollars to Japanese Yen Get the latest 60 US Dollar to Japanese Yen rate for FREE with the original Universal Currency Converter. Set rate alerts for USD to JPY and learn more about US Dollars and Japanese Yen

Convert USD to JPY - Unit Converter Instant free online tool for USD to JPY conversion or vice versa. The USD [United States Dollar] to JPY [Japanese Yen] conversion table and conversion steps are also listed

60 US Dollars to Japanese Yen - 60 USD to JPY Exchange Rate How to Convert 60 US Dollars to Japanese Yen? You can convert 60 US Dollars to Japanese Yen by using the exchange-rates.org currency converter in just one easy step. Simply enter the

Convert United States Dollar to Japanese Yen | USD to JPY 4 days ago Currency converter to convert from United States Dollar (USD) to Japanese Yen (JPY) including the latest exchange rates, a chart showing the exchange rate history for the

60 USD to JPY - Convert \$60 US Dollar to Japanese Yen Convert 60 US Dollar to Japanese Yen using latest Foreign Currency Exchange Rates. The fast and reliable converter shows how much you would get when exchanging sixty US Dollar to

60 USD to JPY | Convert US Dollars to Japanese Yen Now 2 days ago Exchange US Dollars to Japanese Yen with real-time accuracy. Use tools from Currency.Wiki, including Chrome and Edge extensions, or the Android app for seamless

60 USD to JPY - Convert US Dollars in Japanese yens 1 day ago Get the latest \$60 US Dollars to Japanese yens rate for FREE with Real-time Currency Converter. USD/JPY analysis, check out best exchange rates, historical data &

Convert 60 USD to JPY | \$60 in JPY - Convert 60 US Dollars to Yen. See the conversion result with today's real-time exchange rate

60 US Dollars (USD) to Yens (JPY) - Currency Converter \$60.00 – sixty us dollars is currently worth ¥8,681.64 (eight thousand six hundred eighty-one yens) as of 03:00AM UTC. We use mid-market exchange rates to convert USD to

How to resolve Facebook Login is currently unavailable for this app In the facebook developers console for your app, go to App Review-> Permissions and Features. Set the public_profile and email to have advanced access. This will allow all

How should I deal with the Facebook app privacy policy URL in Given that Facebook can be a silo and hide pages whenever they like from the public web, you'd be well advised to move it to a site of yours. This also seems to be

Android Facebook integration with invalid key hash The Facebook SDK for Unity gets the wrong key hash. It gets the key from "C:\Users\"your user\".android\debug.keystore" and, in a perfect world, it should get it from the

How to extract the direct facebook video url - Stack Overflow Well i have not tried this in PHP, as per the facebook they have removed option in API to return source for the video, so i got it working using Python ;) import requests as r

Facebook share link without JavaScript - Stack Overflow Learn how to create a Facebook share link without using JavaScript, including tips and solutions for effective sharing

How to add facebook share button on my website? - Stack Overflow Note that with using the Facebook SDK your users are being tracked only by visiting your site; they don't even need to click any of your Share or Like buttons. The answers

Implement Facebook API login with reactjs - Stack Overflow I'm working on using Facebook's Javascript SDK for authentication. I've been able to import the SDK properly and put a Like button on my page. But, the facebook login button has to be

Where do I find API key and API secret for Facebook? 8 You have to log on to facebook (with any valid account), go to Account -> Application settings -> Developer -> Set up new application (button at the top right). After creating application you will

Why won't Facebook accept the URL of my website in the About I've been having a similar issue with facebook for a few times now appearing out of the blue. Facebook doesn't really give any information about what's actually causing the issue which

How to check if Facebook is installed Android - Stack Overflow How to check if Facebook is installed Android Asked 14 years, 2 months ago Modified 3 years, 9 months ago Viewed 65k times

Related Articles

- [happiness trap pdf](#)
- [byron shelley and keats mastery test](#)
- [john deere 100 series manual pdf](#)

[Back to Home](#)