

# astm d4285

## **ASTM D4285: A Comprehensive Guide to Its Purpose, Scope, and Application**

ASTM D4285 is a widely recognized standard developed by ASTM International that specifies the test method for the total sulfur in petroleum products by energy dispersive X-ray fluorescence (EDXRF) spectrometry. This standard plays a crucial role in the petroleum and fuel industries, ensuring the accurate measurement of sulfur content in various petroleum-based products. Proper adherence to ASTM D4285 is essential for manufacturers, quality control laboratories, and regulatory agencies to maintain compliance, optimize refining processes, and minimize environmental impact.

In this comprehensive guide, we will delve into the details of ASTM D4285, exploring its scope, significance, the testing procedures involved, equipment requirements, calibration techniques, and best practices for accurate sulfur determination. Whether you are a laboratory analyst, quality control manager, or a researcher, understanding ASTM D4285 is vital for ensuring precise and reliable sulfur analysis in petroleum products.

---

## **Understanding ASTM D4285**

### **What Is ASTM D4285?**

ASTM D4285 is a standard test method that utilizes energy dispersive X-ray fluorescence (EDXRF) spectrometry to determine the total sulfur content in petroleum products, including:

- Gasoline
- Diesel fuels
- Kerosene
- Fuel oils
- Lubricating oils
- Other petroleum-based liquids

This method is favored for its rapid analysis, minimal sample preparation, and non-destructive nature, making it ideal for routine quality control testing in refineries and laboratories.

### **Importance of Measuring Sulfur Content**

Sulfur in petroleum products is a significant concern due to its

environmental and operational impacts:

- Environmental Regulations: Many countries have strict limits on sulfur content in fuels to reduce sulfur dioxide (SO<sub>2</sub>) emissions, which contribute to acid rain and air pollution.
- Catalytic Converter Efficiency: High sulfur levels can poison catalytic converters, reducing their effectiveness and increasing emissions.
- Refining Processes: Accurate sulfur measurement helps optimize refining processes, such as hydrotreating, to meet specifications cost-effectively.
- Product Quality Assurance: Ensuring sulfur levels comply with industry standards enhances product quality and safety.

---

## Scope and Applicability of ASTM D4285

### Products Covered

ASTM D4285 applies primarily to liquid petroleum products, including:

- Gasoline
- Diesel fuels
- Jet fuels
- Kerosene
- Fuel oils
- Lubricating oils

The method is suitable for samples with sulfur concentrations typically ranging from approximately 1 to 5000 mg/kg (ppm), depending on equipment sensitivity.

### Limitations

While ASTM D4285 provides reliable results for many petroleum products, certain limitations exist:

- Sample Homogeneity: Samples must be homogeneous to ensure accurate analysis.
- Matrix Effects: Complex matrices may require matrix-matched calibration standards.
- Detection Limits: Extremely low sulfur levels may challenge the detection capabilities of standard EDXRF instruments.
- Interferences: Elements with overlapping X-ray emission lines can interfere with sulfur detection if not properly accounted for.

---

## Principles of the EDXRF Method in ASTM D4285

Energy dispersive X-ray fluorescence (EDXRF) spectroscopy is a non-destructive analytical technique that detects characteristic X-rays emitted by elements in a sample when excited by primary X-ray radiation. In ASTM D4285:

- The petroleum sample is placed in an XRF instrument.
- Primary X-rays excite the atoms within the sample.
- Sulfur atoms emit characteristic X-rays at specific energies.
- The instrument detects and quantifies these X-rays to determine sulfur concentration.

Key advantages of EDXRF include rapid analysis times, minimal sample preparation, and the ability to analyze multiple elements simultaneously.

---

## Sample Preparation for ASTM D4285 Analysis

Proper sample preparation is vital for obtaining accurate and reproducible results.

### Sampling Guidelines

- Use clean, dry containers to prevent contamination.
- Homogenize the sample thoroughly before analysis.
- Avoid sample exposure to moisture or air to prevent oxidation.

### Sample Handling

- For liquids, transfer a representative aliquot into the sample cup or holder.
- For viscous or solid samples, appropriate dilution or pellet preparation may be necessary.
- Ensure the sample surface is flat and smooth for optimal X-ray interaction.

## Preparation Techniques

- Liquid Samples: Usually placed directly into sample cups with a thin film or window.
- Solid Samples: May require grinding into a fine powder and pressing into pellets.
- Calibration Standards: Must be prepared similarly to the samples to ensure accuracy.

---

## Calibration and Quality Control in ASTM D4285

Calibration is essential for translating XRF signals into sulfur concentrations.

### Calibration Standards

- Use certified reference materials (CRMs) with known sulfur content.
- Prepare calibration standards that match the matrix of your samples.
- Regularly verify calibration with control samples.

### Calibration Procedure

1. Measure the response of calibration standards.
2. Generate a calibration curve plotting known sulfur concentrations against the XRF response.
3. Use this curve to determine sulfur content in unknown samples.

### Quality Control Measures

- Run method blanks to check for contamination.
- Analyze duplicate samples to assess precision.
- Perform periodic instrument checks using control standards.
- Maintain detailed documentation of calibration and QC results.

---

# Interpreting Results and Reporting

When interpreting ASTM D4285 results:

- Ensure values are within the calibration range.
- Consider detection limits and measurement uncertainties.
- Report sulfur content in mg/kg (ppm) or as specified by regulatory requirements.
- Include information about sample type, preparation method, and calibration details.

---

## Advantages of ASTM D4285

Implementing ASTM D4285 offers several benefits:

- Rapid turnaround time for sulfur analysis.
- Minimal sample preparation, reducing labor and potential errors.
- Non-destructive testing preserves samples for further analysis.
- Suitable for high-throughput laboratories.
- Compatible with automation, enhancing efficiency.

---

## Limitations and Considerations

Despite its advantages, certain factors should be considered:

- Matrix effects can influence accuracy; matrix-matched standards are recommended.
- Detection limits may not be sufficient for ultra-low sulfur levels.
- Elemental interferences can occur; spectral correction methods are necessary.
- Regular instrument calibration and maintenance are essential.

---

## Applications of ASTM D4285 in Industry

ASTM D4285 is extensively used across various sectors:

- Refineries: Monitoring sulfur levels during refining processes.

- Quality Control Laboratories: Routine testing of petroleum products.
- Regulatory Compliance: Ensuring fuels meet sulfur specifications mandated by government agencies.
- Environmental Monitoring: Verifying sulfur reduction in fuels to minimize emissions.
- Research and Development: Developing cleaner fuels and refining technologies.

---

## **Conclusion: Ensuring Accurate Sulfur Measurement with ASTM D4285**

Accurate measurement of sulfur content in petroleum products is vital for environmental compliance, product quality, and operational efficiency. ASTM D4285 provides a reliable, rapid, and non-destructive method for sulfur analysis using X-ray fluorescence spectrometry. By understanding its principles, proper sample preparation, calibration techniques, and quality control measures, laboratories and industry professionals can ensure precise and consistent results. Implementing ASTM D4285 not only helps meet regulatory standards but also supports sustainable and environmentally responsible practices in the petroleum industry.

---

## **Additional Resources and References**

- ASTM International Website: [[www.astm.org](http://www.astm.org)](<https://www.astm.org>)
- ASTM D4285 Standard Document
- Technical guides on XRF spectrometry in petroleum analysis
- Industry publications on sulfur reduction technologies

---

For optimal SEO performance, incorporating relevant keywords such as "ASTM D4285 sulfur analysis," "petroleum sulfur testing," "XRF sulfur measurement," and "fuel sulfur standards" throughout the content will enhance visibility in search engine results.

## **Frequently Asked Questions**

## **What is ASTM D4285 standard test method used for?**

ASTM D4285 is used to determine the density of liquid asphalt and cutback asphalt using a pycnometer, providing essential data for quality control and specification compliance.

## **What equipment is required to perform ASTM D4285?**

The test requires a pycnometer, a balance, a heating device, and standard laboratory glassware to accurately measure the density of asphalt samples as per ASTM D4285.

## **How does ASTM D4285 differ from other asphalt density tests?**

ASTM D4285 specifically measures liquid asphalt density using a pycnometer, whereas other tests like ASTM D70 or D1475 focus on different properties such as viscosity or viscosity-temperature relationships.

## **What are the typical applications of ASTM D4285 test results?**

The results are used in quality control, material specification compliance, mix design, and performance evaluation of asphalt materials in paving projects.

## **Are there any specific sample preparation steps for ASTM D4285?**

Yes, samples should be heated to a specified temperature to ensure they are liquid and homogeneous before measuring, and they must be handled carefully to avoid contamination or moisture absorption.

## **What is the significance of temperature control in ASTM D4285 testing?**

Temperature control is critical because asphalt density varies with temperature; maintaining a consistent test temperature ensures accurate and reproducible results.

## **Can ASTM D4285 be used for different types of asphalt materials?**

Yes, ASTM D4285 can be applied to various liquid asphalt materials, including paving grade, cutback, and emulsified asphalts, with appropriate temperature adjustments.

## What are common challenges faced during ASTM D4285 testing?

Challenges include maintaining precise temperature control, ensuring sample homogeneity, and avoiding air bubbles during transfer to the pycnometer, which can affect accuracy.

## Is ASTM D4285 suitable for determining asphalt density in field conditions?

No, ASTM D4285 is a laboratory test method; field measurements require different techniques, but laboratory data can inform field practices and quality assurance.

## Where can I find the official ASTM D4285 standard documentation?

The official ASTM D4285 standard can be purchased from the ASTM International website or accessed through authorized standards providers and libraries.

## Additional Resources

**ASTM D4285: A Comprehensive Overview of Its Role, Methodology, and Industry Significance**

---

### Introduction

In the realm of industrial and environmental testing, standards play a crucial role in ensuring consistency, safety, and quality across various sectors. Among these standards, ASTM D4285 stands out as a pivotal method for analyzing specific properties of materials and substances. Developed by ASTM International, a globally recognized leader in standards development, ASTM D4285 provides a systematic approach to measuring certain physical or chemical characteristics that influence product performance and compliance. This article delves into the intricacies of ASTM D4285, exploring its purpose, methodology, applications, and the significance it holds within different industries.

---

### Understanding ASTM D4285: Definition and Scope

#### What is ASTM D4285?

ASTM D4285 is a standardized test method established by ASTM International designed to measure the density of petroleum products and liquids. More

specifically, it focuses on determining the density of liquids at a specified temperature, often at 15°C (59°F), which is a common reference temperature in petroleum testing. The test aims to provide accurate, reproducible measurements that are essential for quality control, product specification compliance, and process optimization.

## Scope and Limitations

While ASTM D4285 primarily addresses petroleum liquids, its scope extends to various other liquids with similar characteristics. The method is applicable to:

- Crude oils
- Refined petroleum products
- Liquid chemicals
- Other liquids where density measurement is pertinent

However, the method has limitations, such as:

- Not suitable for highly viscous or solidified substances
- Unsuitable for liquids that chemically react with the materials of the measuring device
- Not designed for very low or very high-density liquids outside the specified measurement range

Understanding these boundaries is vital for laboratories and industries to ensure the method's appropriate application.

---

## Historical Development and Standardization

### Evolution of the Method

ASTM D4285 has evolved over decades, with updates aiming to improve accuracy, ease of use, and compatibility with modern measurement technologies. Early versions of the method relied on manual measurements with hydrometers and pycnometers, which, while effective, had limitations in precision and reproducibility. Technological advancements led to the adoption of digital densitometers, enhancing the method's reliability.

### Standardization Process

The development of ASTM standards involves rigorous consensus among industry experts, scientists, and regulators. ASTM D4285 underwent thorough review processes to ensure:

- Precision and repeatability
- Compatibility across laboratories
- Clear procedural guidelines

This standardization facilitates worldwide acceptance and application, ensuring that measurements taken in different regions yield comparable results.

---

## Methodology of ASTM D4285

### Overview of the Testing Procedure

ASTM D4285 specifies a systematic procedure to determine the density of liquids, typically using an oscillating U-tube densitometer. The main steps include:

1. Sample Preparation: Ensuring the liquid sample is free of impurities, bubbles, or moisture, and is at the specified temperature.
2. Temperature Control: Maintaining the sample at the test temperature (usually 15°C) is critical, as density varies with temperature.
3. Instrument Calibration: Calibrating the densitometer with reference standards traceable to national standards.
4. Measurement: Introducing the sample into the densitometer, which measures the oscillation frequency to determine density.
5. Data Recording and Analysis: Recording the readings, applying necessary corrections, and calculating the density.

### Instruments Used

- Oscillating U-tube Densitometers: Preferred for their high precision, these devices measure the change in oscillation frequency caused by the sample's density.
- Hydrometers and Pycnometers: Alternative tools, especially in manual testing, though less precise than modern densitometers.

### Corrections and Adjustments

Temperature correction is paramount, as density varies significantly with temperature. ASTM D4285 provides correction formulas to standardize measurements to 15°C, ensuring consistency across different laboratories and conditions.

---

## Applications of ASTM D4285

### Petroleum Industry

In the petroleum sector, density measurements are fundamental for:

- Calculating specific gravity and API gravity: Critical for pricing and quality assessment.
- Refinery process control: Monitoring the quality of crude and refined

products.

- Compliance with regulatory standards: Ensuring products meet legal specifications.

## Chemical and Material Industries

Accurate density data influence formulation accuracy, product stability, and compatibility, making ASTM D4285 valuable for chemical manufacturers.

## Environmental Monitoring

Assessing the density of environmental samples, such as oil spills or chemical leaks, helps in environmental impact assessments and remediation strategies.

## Quality Assurance and Control

Manufacturers employ ASTM D4285 to verify batch consistency, detect contamination, or verify process stability, thereby maintaining high product standards.

---

## Significance in Industry and Regulatory Context

### Ensuring Consistency and Reliability

Standardized methods like ASTM D4285 guarantee that measurements are consistent regardless of location or operator, fostering trust and comparability.

### Supporting International Trade

Accurate density measurements are essential for commodity trading, pricing, and contractual compliance, especially in the global oil markets.

### Regulatory Compliance

Many governments and organizations require adherence to ASTM standards for environmental reporting, safety, and quality assurance.

### Advancing Scientific Research

Precise data obtained through ASTM D4285 support research in fuel efficiency, alternative fuels, and material science.

---

## Challenges and Future Outlook

### Limitations and Potential Issues

Despite its robustness, ASTM D4285 faces challenges such as:

- Instrument calibration drift
- Sample contamination or improper temperature control
- Variability in operator technique

Addressing these issues requires rigorous training, maintenance, and quality assurance protocols.

### Technological Advancements

Emerging technologies, such as digital densitometry and automated sampling systems, promise increased accuracy, speed, and ease of use.

### Evolving Standards

As industries develop new materials and environmental concerns grow, ASTM may update D4285 or develop complementary methods to address novel measurement needs.

---

### Conclusion

ASTM D4285 embodies a critical component of industry standards for liquid density measurement. Its precise methodology, robust validation, and widespread applicability make it an indispensable tool across the petroleum, chemical, environmental, and manufacturing sectors. As technology advances and industry demands evolve, ASTM D4285 continues to serve as a foundation for ensuring measurement accuracy, safety, and quality assurance. For professionals involved in quality control, regulatory compliance, or scientific research, understanding the nuances of ASTM D4285 is essential for maintaining industry standards and advancing best practices in liquid property analysis.

## [Astm D4285](#)

**astm d4285: Handbook of Engineering Practice of Materials and Corrosion** Jung-Chul (Thomas) Eun, 2020-09-04 This handbook is an in-depth guide to the practical aspects of materials and corrosion engineering in the energy and chemical industries. The book covers materials, corrosion, welding, heat treatment, coating, test and inspection, and mechanical design and integrity. A central focus is placed on industrial requirements, including codes, standards, regulations, and specifications that practicing material and corrosion engineers and technicians face in all roles and in all areas of responsibility. The comprehensive resource provides expert guidance on general corrosion mechanisms and recommends materials for the control and prevention of corrosion damage, and offers readers industry-tested best practices, rationales, and case studies.

**astm d4285: Thermally Sprayed Metal Coatings to Protect Steel Pilings** James A. Ellor, Walter T. Young, John Repp, National Cooperative Highway Research Program, 2004 Research sponsored

by the American Association of State Highway and Transportation Officials in cooperation with the Federal Highway Administration.

**astm d4285: Evaluation of Surface Preparation and Application Parameters for Arc-Sprayed Metal Coatings ,**

**astm d4285:** Standard Specifications for Construction of Roads and Bridges on Federal Highway Projects United States. Federal Highway Administration, 2014 Standard Specifications for Construction of Roads and Bridges on Federal Highway Projects is issued primarily for constructing roads and bridges on Federal Highway projects under the direct administration of the Federal Highway Administration. It is also used by the U. S. Forest Service and other Federal agencies on their projects. These specifications are cited as FP-14 indicating Federal Project Standard Specifications issued in 2014 and contain both United States Customary and Metric units of measure. This book outlines the contractual process, including bids, Scope of Work for projects, including materials, construction requirements, equipment, glossary of terms, and much more. Road construction companies, and supply management vendors for the equipment, tools, and pipes needed for constructing Federal highways, as well as engineers, Federal, state, and local Government agencies may be interested to have a copy of this authoritative work available as a reference for any current, and/or future road construction projects

**astm d4285: Manual on Maintenance Coatings for Nuclear Power Plants ,**

**astm d4285:** Construction Codes & Inspection Handbook Gil Taylor, 2006-04-14 Ensure code compliance, accurate calculations, and quality, while saving time and money Comprehensive, practical, and visual, this resource provides you with instant access to job-critical information. 600 tables, charts, checklists and calculations for quick look-up Provides job-critical data on every major building code, including the IBC (International Building Code) -- the world's most widely adopted building code Jargon-free explanations clarify complex codes Covers construction procedures and standards for commercial and industrial projects

**astm d4285: An Introduction to Inspection of Painting Operations for Construction Managers** J. Paul Guyer, P.E., R.A., 2024-12-24 Introductory technical guidance for Construction Managers interested in painting and coating operations. Here is what is discussed: 1. INTRODUCTION, 2. IMPORTANCE OF INSPECTION, 3. CONTRACTOR QUALITY CONTROL INSPECTION, 4. DUTIES OF AN INSPECTOR, 5. INSPECTION EQUIPMENT, 6. INSPECTION STEPS, 7. FIELD INSPECTION INSTRUMENTS.

**astm d4285: An Introduction to Inspection and Maintenance of Thermal Spray Coatings** J. Paul Guyer, P.E., R.A., 2021-04-11 Introductory technical guidance for civil engineers, mechanical engineers and construction managers interested in thermal spray coatings. Here is what is discussed: 1. INTRODUCTION 2. REFERENCE SAMPLES AND THE THERMAL SPRAY JOB REFERENCE STANDARD 3. PRESURFACE PREPARATION INSPECTION 4. MEASURING AMBIENT CONDITIONS PRIOR TO 5. ASSESSING COMPRESSED AIR CLEANLINESS 6. DETERMINING ABRASIVE CLEANLINESS BLASTING 7. MEASURING BLAST AIR PRESSURE. 8. EXAMINING THE BLAST NOZZLE ORIFICE 9. EVALUATING SURFACE PROFILE 10. INSPECTING SURFACE CLEANLINESS 11. MEASURING AMBIENT CONDITIONS PRIOR TO THERMAL SPRAYING 12. BEND TESTING TO EVALUATE EQUIPMENT SETUP 13. MEASURING THE COATING THICKNESS 14. INSPECTING THE APPEARANCE OF THE APPLIED COATING 15. ADHESION TESTING FOR QUALITY CONTROL 16. INSPECTING THE SEALER COATING 17. FREQUENCY OF INSPECTION 18. DOCUMENTATION 19. THERMAL SPRAY APPLICATOR AND EQUIPMENT QUALIFICATION 20. APPLICATOR QUALIFICATION PROCEDURE 21. MAINTENANCE OF THERMAL SPRAY COATINGS.

**astm d4285: Coatings for Corrosion Protection** Charles Smith, 2005

**astm d4285:** An Introduction to Roofing and Painting J. Paul Guyer, P.E., R.A., 2017-12-25 Introductory technical guidance for professional engineers, architects and construction managers interested in roofing and painting of buildings and other infrastructure. Here is what is discussed: 1. ROOFING SYSTEMS 2. COATINGS AND PAINTS 3. ANALYSIS OF PAINT FAILURES 4. INSPECTION OF PAINTING OPERATIONS.

**astm d4285: Manual on Coating and Lining Methods for Cooling Water Systems in Power Plants ,**

**astm d4285:** *Index and Directory of U.S. Industry Standards* , 1987

**astm d4285:** NIST Special Publication , 2005

**astm d4285:** **Lead-based Paint** , 1998

**astm d4285: n Introduction to Coatings and Paints for Professional Engineers** J. Paul Guyer, P.E., R.A., 2022-02-25 Introductory technical guidance for professional engineers, architects and construction managers interested in coatings and paints for buildings and other infrastructures. Here is what is discussed: 1. SELECTION OF COATINGS, 1.1 SELECTION CRITERIA, 1.2 SPECIFICATIONS FOR LEAD- AND CHROMATE-FREE COATINGS WITH VOC LIMITS, 1.3 RECOMMENDATIONS FOR DIFFERENT SUBSTRATES, 2. SURFACE PREPARATION, 2.1 INTRODUCTION, 2.2 REPAIR OF SURFACES, 2.3 RECOMMENDATIONS BY SUBSTRATE, 2.4 STANDARDS FOR CONDITION OF SUBSTRATES, 2.5 STANDARDS FOR CLEANLINESS OF SUBSTRATES, 2.6 RECOMMENDATIONS FOR PAINT REMOVAL, 2.7 METHODS OF SURFACE PREPARATION.

**astm d4285:** Journal of Protective Coatings & Linings , 1993

**astm d4285:** *Report* , 1964

**astm d4285:** Materials Performance , 1994

**astm d4285: Standard Specifications for Highway and Bridge Construction** Iowa. Department of Transportation, 2009

**astm d4285:** Standard Specifications for Road and Bridge Construction , 2005

## Related to astm d4285

**Digital Access to ASTM Standards on ASTM Compass | ASTM** 24/7 online access to the content developed by ASTM's worldwide network of experts. Instantly access any of ASTM's 13,000+ standards, as well as AASHTO, AATCC, API, AWWA, CGA,

**F606 Standard Test Methods for Determining the - ASTM** Go to ASTM Compass® Standard Historical Last Updated: Track Document ASTM F606-14

**ASTM in Canada** A look at the ways Canadian government and industry use ASTM standards to ensure health and safety and set the wheels of commerce in motion. Canada, the second

**D2487 Standard Practice for Classification of - ASTM International** This ASTM standard is not intended to represent or replace the standard of care by which the adequacy of a given professional service must be judged, nor should this

**D86 Standard Test Method for Distillation of - ASTM International** It is one of the oldest test methods under the jurisdiction of ASTM Committee D02, dating from the time when it was still referred to as the Engler distillation

**D854 Standard Test Methods for Specific Gravity of Soil Solids by** Go to ASTM Compass® Standard Active Last Updated: Track Document ASTM D854-23

**Standard Test Methods for Determining Average Grain Size** The number of grains per unit area, NA , is used to determine the ASTM grain size number, G. The precision of the method is a function of the number of grains counted. A

**Standard Test Methods for Flexural Properties of Unreinforced and** Any test specimen preparation, conditioning, dimensions, or testing parameters, or combination thereof, covered in the ASTM material specification shall take precedence over

**F1346 Standard Performance Specification for - ASTM** Go to ASTM Compass® Standard Historical Last Updated: Track Document ASTM F1346-91 (2018)

**ASTM Fact Sheet - Overview - About Us** What Is ASTM? Formed in 1898, ASTM International is one of the world's largest international standards developing organizations. Defined and set by us, ASTM standards improve the lives

**Digital Access to ASTM Standards on ASTM Compass | ASTM** 24/7 online access to the content

developed by ASTM's worldwide network of experts. Instantly access any of ASTM's 13,000+ standards, as well as AASHTO, AATCC, API, AWWA, CGA,

**F606 Standard Test Methods for Determining the - ASTM** Go to ASTM Compass® Standard Historical Last Updated: Track Document ASTM F606-14

**ASTM in Canada** A look at the ways Canadian government and industry use ASTM standards to ensure health and safety and set the wheels of commerce in motion. Canada, the second

**D2487 Standard Practice for Classification of - ASTM International** This ASTM standard is not intended to represent or replace the standard of care by which the adequacy of a given professional service must be judged, nor should this

**D86 Standard Test Method for Distillation of - ASTM International** It is one of the oldest test methods under the jurisdiction of ASTM Committee D02, dating from the time when it was still referred to as the Engler distillation

**D854 Standard Test Methods for Specific Gravity of Soil Solids by** Go to ASTM Compass® Standard Active Last Updated: Track Document ASTM D854-23

**Standard Test Methods for Determining Average Grain Size** The number of grains per unit area,  $N_A$ , is used to determine the ASTM grain size number,  $G$ . The precision of the method is a function of the number of grains counted. A

**Standard Test Methods for Flexural Properties of Unreinforced and** Any test specimen preparation, conditioning, dimensions, or testing parameters, or combination thereof, covered in the ASTM material specification shall take precedence over

**F1346 Standard Performance Specification for - ASTM** Go to ASTM Compass® Standard Historical Last Updated: Track Document ASTM F1346-91 (2018)

**ASTM Fact Sheet - Overview - About Us** What Is ASTM? Formed in 1898, ASTM International is one of the world's largest international standards developing organizations. Defined and set by us, ASTM standards improve the lives

## Related Articles

- [request for price quote email sample pdf](#)
- [reliabilt sliding screen door installation](#)
- [nfpa 72 2016 pdf](#)

[Back to Home](#)