

NURSING DIAGNOSIS ALTERED MENTAL STATUS

NURSING DIAGNOSIS ALTERED MENTAL STATUS IS A CRITICAL CLINICAL ASSESSMENT THAT HEALTHCARE PROFESSIONALS UTILIZE TO IDENTIFY, PLAN, AND IMPLEMENT APPROPRIATE INTERVENTIONS FOR PATIENTS EXPERIENCING CHANGES IN CONSCIOUSNESS, COGNITION, OR OVERALL MENTAL FUNCTION. THIS DIAGNOSIS IS ESSENTIAL IN VARIOUS MEDICAL SETTINGS, INCLUDING EMERGENCY CARE, INTENSIVE CARE UNITS, AND GENERAL HOSPITAL WARDS, AS IT HELPS DETERMINE THE UNDERLYING CAUSES AND GUIDES EFFECTIVE MANAGEMENT STRATEGIES. ALTERED MENTAL STATUS (AMS) ENCOMPASSES A WIDE SPECTRUM OF CONDITIONS, FROM MILD CONFUSION TO COMA, AND REQUIRES PROMPT EVALUATION TO PREVENT MORBIDITY AND MORTALITY. IN THIS COMPREHENSIVE GUIDE, WE WILL EXPLORE THE DEFINITION, CAUSES, ASSESSMENT, NURSING INTERVENTIONS, AND MANAGEMENT STRATEGIES RELATED TO NURSING DIAGNOSIS OF ALTERED MENTAL STATUS.

UNDERSTANDING ALTERED MENTAL STATUS (AMS)

DEFINITION OF ALTERED MENTAL STATUS

ALTERED MENTAL STATUS REFERS TO A STATE WHERE THERE IS A SIGNIFICANT CHANGE IN A PATIENT'S LEVEL OF CONSCIOUSNESS, COGNITION, PERCEPTION, OR BEHAVIOR. IT INDICATES THAT THE BRAIN'S NORMAL FUNCTIONING HAS BEEN AFFECTED, LEADING TO CONFUSION, DISORIENTATION, AGITATION, LETHARGY, OR UNCONSCIOUSNESS. AMS IS A SYMPTOM RATHER THAN A DISEASE ITSELF AND CAN RESULT FROM VARIOUS UNDERLYING CONDITIONS.

COMMON SYMPTOMS OF AMS

- CONFUSION OR DISORIENTATION
 - DROWSINESS OR LETHARGY
 - AGITATION OR RESTLESSNESS
 - SLURRED SPEECH
 - ALTERED PERCEPTION OF REALITY
 - DECREASED RESPONSIVENESS
 - LOSS OF CONSCIOUSNESS OR COMA
-

ETIOLOGY AND CAUSES OF ALTERED MENTAL STATUS

PHYSIOLOGICAL CAUSES

ALTERED MENTAL STATUS CAN ARISE FROM PHYSIOLOGICAL DISTURBANCES, INCLUDING:

1. HYPOGLYCEMIA OR HYPERGLYCEMIA
2. ELECTROLYTE IMBALANCES (E.G., HYPONATREMIA, HYPERNATREMIA)
3. HYPOXIA OR HYPOXEMIA
4. INFECTIONS (E.G., MENINGITIS, ENCEPHALITIS, SEPSIS)
5. TRAUMA TO THE BRAIN OR HEAD INJURY

6. SEIZURES OR POST-ICTAL STATES
7. DRUG INTOXICATION OR WITHDRAWAL
8. METABOLIC DISTURBANCES (E.G., HEPATIC OR RENAL FAILURE)

PSYCHOLOGICAL AND PSYCHIATRIC CAUSES

- ACUTE PSYCHOSIS
- SEVERE DEPRESSION OR ANXIETY
- SUBSTANCE ABUSE OR OVERDOSE

ENVIRONMENTAL FACTORS

- EXPOSURE TO TOXINS
- SEVERE DEHYDRATION
- SLEEP DEPRIVATION

ASSESSMENT OF ALTERED MENTAL STATUS

INITIAL EVALUATION

THE PRIMARY GOAL DURING ASSESSMENT IS TO DETERMINE THE SEVERITY AND POSSIBLE CAUSES OF AMS. THIS INVOLVES:

- ENSURING AIRWAY, BREATHING, AND CIRCULATION (ABCs)
- ASSESSING LEVEL OF CONSCIOUSNESS USING STANDARDIZED TOOLS (E.G., GLASGOW COMA SCALE)
- PERFORMING A THOROUGH NEUROLOGICAL EXAMINATION
- CHECKING VITAL SIGNS FOR ABNORMALITIES
- GATHERING A COMPREHENSIVE MEDICAL HISTORY

KEY COMPONENTS OF ASSESSMENT

- MENTAL STATUS EXAMINATION: ORIENTATION, ATTENTION, MEMORY, SPEECH, AND COGNITION.
- PHYSICAL EXAMINATION: HEAD-TO-TOE ASSESSMENT FOCUSING ON NEUROLOGICAL SIGNS.
- LABORATORY AND DIAGNOSTIC TESTS:
 - BLOOD GLUCOSE LEVELS
 - ELECTROLYTES AND RENAL FUNCTION TESTS
 - BLOOD CULTURES IF INFECTION SUSPECTED
 - NEUROIMAGING (CT, MRI)
 - LUMBAR PUNCTURE IF MENINGITIS OR ENCEPHALITIS SUSPECTED

DOCUMENTING FINDINGS

ACCURATE DOCUMENTATION OF ASSESSMENT FINDINGS IS VITAL FOR ONGOING CARE AND COMMUNICATION AMONG HEALTHCARE TEAM MEMBERS.

NURSING DIAGNOSES RELATED TO ALTERED MENTAL STATUS

COMMON NURSING DIAGNOSES

THE NURSING DIAGNOSIS FOR ALTERED MENTAL STATUS OFTEN REVOLVES AROUND MAINTAINING SAFETY, PREVENTING INJURY, AND ADDRESSING UNDERLYING CAUSES. COMMON DIAGNOSES INCLUDE:

- RISK FOR INJURY RELATED TO DECREASED LEVEL OF CONSCIOUSNESS
- IMPAIRED ENVIRONMENTAL COMMUNICATION RELATED TO COGNITIVE DEFICITS
- ANXIETY RELATED TO ALTERED MENTAL STATUS
- RISK FOR ASPIRATION DUE TO DECREASED GAG REFLEX
- INEFFECTIVE AIRWAY CLEARANCE
- RISK FOR FALLS
- DISTURBED THOUGHT PROCESSES

FORMULATING THE NURSING DIAGNOSIS

USE THE NANDA INTERNATIONAL (NANDA-I) TAXONOMY TO ACCURATELY IDENTIFY AND DOCUMENT THE DIAGNOSIS. FOR EXAMPLE:

- NANDA DIAGNOSIS: RISK FOR INJURY RELATED TO DECREASED LEVEL OF CONSCIOUSNESS AS EVIDENCED BY CONFUSION AND LETHARGY.
- RELATED FACTORS: UNDERLYING CAUSE SUCH AS HYPOGLYCEMIA OR INTOXICATION.
- DEFINING CHARACTERISTICS: OBSERVED BEHAVIORS AND SIGNS SUCH AS DISORIENTATION, DROWSINESS, OR UNRESPONSIVENESS.

MANAGEMENT AND NURSING INTERVENTIONS FOR ALTERED MENTAL STATUS

IMMEDIATE INTERVENTIONS

1. ENSURE SAFETY
 - MOVE THE PATIENT TO A SAFE ENVIRONMENT
 - USE BED RAILS OR RESTRAINTS IF NECESSARY
2. AIRWAY MANAGEMENT
 - MONITOR AIRWAY PATENCY
 - PROVIDE OXYGEN THERAPY IF HYPOXIA IS PRESENT
 - PREPARE FOR ADVANCED AIRWAY MANAGEMENT IF NEEDED
3. VITAL SIGNS MONITORING
 - CONTINUOUS ASSESSMENT OF BLOOD PRESSURE, HEART RATE, RESPIRATORY RATE, AND OXYGEN SATURATION
4. BLOOD GLUCOSE MANAGEMENT
 - ADMINISTER GLUCOSE IF HYPOGLYCEMIA IS SUSPECTED
5. NEUROLOGICAL MONITORING
 - FREQUENT ASSESSMENT OF LEVEL OF CONSCIOUSNESS USING GLASGOW COMA SCALE
 - PUPIL SIZE AND REACTION

- MOTOR AND SENSORY RESPONSES

ONGOING NURSING CARE

- MEDICATION ADMINISTRATION
- ADMINISTER PRESCRIBED MEDICATIONS SUCH AS ANTICONVULSANTS, ANTIBIOTICS, OR SEDATIVES
- HYDRATION AND NUTRITION
- MAINTAIN FLUID BALANCE
- INITIATE ENTERAL OR PARENTERAL NUTRITION IF INDICATED
- ENVIRONMENTAL CONTROL
- PROVIDE A CALM, QUIET ENVIRONMENT TO REDUCE AGITATION
- USE ORIENTATION AIDS (CLOCKS, CALENDARS)
- FAMILY SUPPORT AND EDUCATION
- INFORM FAMILY MEMBERS ABOUT CONDITION AND CARE PLAN
- PROVIDE EMOTIONAL SUPPORT
- PREVENTING COMPLICATIONS
- TURN AND REPOSITION REGULARLY
- MAINTAIN SKIN INTEGRITY

ADDRESSING UNDERLYING CAUSES

EFFECTIVE MANAGEMENT OF AMS DEPENDS ON IDENTIFYING AND TREATING THE ROOT CAUSE, WHICH MAY INCLUDE:

- ADMINISTERING ANTIBIOTICS FOR INFECTIONS
- CORRECTING ELECTROLYTE IMBALANCES
- MANAGING DRUG INTOXICATION OR WITHDRAWAL
- PROVIDING SUPPORTIVE CARE FOR METABOLIC DISTURBANCES

MONITORING AND EVALUATION

REGULAR ASSESSMENT OF THE PATIENT'S NEUROLOGICAL STATUS AND RESPONSE TO INTERVENTIONS IS ESSENTIAL. INDICATORS OF IMPROVEMENT INCLUDE:

- IMPROVED LEVEL OF CONSCIOUSNESS
- STABLE VITAL SIGNS
- ABSENCE OF INJURY OR COMPLICATIONS
- RESOLUTION OF UNDERLYING CONDITION

IF NO IMPROVEMENT IS OBSERVED, RE-EVALUATION AND FURTHER DIAGNOSTIC TESTING MAY BE NECESSARY.

PREVENTION AND PATIENT EDUCATION

PREVENTATIVE STRATEGIES ARE CRUCIAL IN REDUCING THE RISK OF AMS:

- EDUCATE PATIENTS ON MEDICATION ADHERENCE
- PROMOTE SAFETY MEASURES AT HOME TO PREVENT FALLS OR INJURIES
- ENCOURAGE MANAGEMENT OF CHRONIC CONDITIONS LIKE DIABETES AND HYPERTENSION
- EMPHASIZE THE IMPORTANCE OF AVOIDING SUBSTANCE MISUSE
- ENSURE TIMELY TREATMENT OF INFECTIONS AND METABOLIC DISTURBANCES

CONCLUSION

Nursing diagnosis of altered mental status requires a comprehensive understanding of the underlying causes, thorough assessment skills, and prompt intervention strategies. By focusing on safety, stabilizing vital functions, and addressing root causes, nurses play a pivotal role in improving patient outcomes. Continued education, vigilant monitoring, and effective communication within the healthcare team are essential components for managing AMS effectively. Recognizing early signs and providing timely nursing interventions can significantly reduce complications and enhance the quality of patient care.

KEYWORDS: NURSING DIAGNOSIS ALTERED MENTAL STATUS, AMS, ALTERED MENTAL STATUS ASSESSMENT, NURSING INTERVENTIONS, NEUROLOGICAL ASSESSMENT, PATIENT SAFETY, VITAL SIGNS, NEUROLOGICAL MONITORING, EMERGENCY NURSING, MENTAL STATUS EXAMINATION.

FREQUENTLY ASKED QUESTIONS

WHAT ARE THE COMMON NURSING DIAGNOSES ASSOCIATED WITH ALTERED MENTAL STATUS?

Common nursing diagnoses include Confusion, Risk for Injury, Impaired Memory, and Acute Pain, depending on the underlying cause of the altered mental status.

HOW CAN NURSES ASSESS THE SEVERITY OF ALTERED MENTAL STATUS IN A PATIENT?

Nurses can use standardized tools like the Glasgow Coma Scale (GCS) or the Richmond Agitation-Sedation Scale (RASS) to evaluate consciousness level, responsiveness, and cognitive function systematically.

WHAT ARE THE KEY INTERVENTIONS FOR A PATIENT WITH ALTERED MENTAL STATUS?

Interventions include ensuring patient safety, maintaining airway patency, monitoring vital signs, providing a calm environment, and addressing the underlying cause through collaboration with the healthcare team.

HOW DOES UNDERLYING MEDICAL CONDITIONS INFLUENCE NURSING MANAGEMENT OF ALTERED MENTAL STATUS?

Conditions like infections, metabolic imbalances, or neurological injuries require targeted interventions; nurses must identify and monitor these conditions to prevent deterioration and support recovery.

WHAT ARE THE POTENTIAL COMPLICATIONS OF ALTERED MENTAL STATUS THAT NURSES SHOULD MONITOR FOR?

Potential complications include airway obstruction, falls and injuries, aspiration pneumonia, dehydration, and worsening neurological status, which require vigilant assessment and prompt action.

HOW CAN EARLY RECOGNITION OF ALTERED MENTAL STATUS IMPROVE PATIENT OUTCOMES?

Early detection allows for timely interventions, reduces the risk of injury, prevents deterioration, and facilitates prompt treatment of underlying causes, ultimately improving prognosis.

WHAT ROLE DOES PATIENT AND FAMILY EDUCATION PLAY IN MANAGING ALTERED MENTAL STATUS?

EDUCATING PATIENTS AND FAMILIES ABOUT SAFETY MEASURES, MEDICATION MANAGEMENT, AND SIGNS OF DETERIORATION EMPOWERS THEM TO PARTICIPATE ACTIVELY IN CARE AND SEEK HELP PROMPTLY IF NEEDED.

ADDITIONAL RESOURCES

NURSING DIAGNOSIS ALTERED MENTAL STATUS: A COMPREHENSIVE REVIEW

ALTERED MENTAL STATUS (AMS) REPRESENTS A BROAD AND COMPLEX CLINICAL CONDITION CHARACTERIZED BY A CHANGE IN A PERSON'S LEVEL OF CONSCIOUSNESS, COGNITION, OR RESPONSIVENESS. IT IS A COMMON YET CHALLENGING PRESENTATION ENCOUNTERED ACROSS VARIOUS HEALTHCARE SETTINGS, FROM EMERGENCY DEPARTMENTS TO LONG-TERM CARE FACILITIES. ACCURATE ASSESSMENT, TIMELY DIAGNOSIS, AND APPROPRIATE INTERVENTION ARE VITAL TO IMPROVE PATIENT OUTCOMES. AS A CRITICAL NURSING DIAGNOSIS, ALTERED MENTAL STATUS DEMANDS A SYSTEMATIC APPROACH ROOTED IN THOROUGH UNDERSTANDING, PRECISE IDENTIFICATION, AND EFFECTIVE MANAGEMENT STRATEGIES.

UNDERSTANDING ALTERED MENTAL STATUS: DEFINITION AND SIGNIFICANCE

WHAT IS ALTERED MENTAL STATUS?

ALTERED MENTAL STATUS REFERS TO A DEVIATION FROM A PATIENT'S BASELINE COGNITIVE AND CONSCIOUSNESS LEVELS. IT MANIFESTS AS CONFUSION, DISORIENTATION, DECREASED RESPONSIVENESS, AGITATION, HALLUCINATIONS, OR COMA. THE TERM ENCOMPASSES A SPECTRUM OF CONDITIONS—FROM MILD CONFUSION TO DEEP COMA—INDICATING VARYING DEGREES OF CEREBRAL DYSFUNCTION.

WHY IS IT CLINICALLY SIGNIFICANT?

AMS IS OFTEN A SYMPTOM OF UNDERLYING MEDICAL, NEUROLOGICAL, METABOLIC, OR TOXICOLOGICAL ISSUES. ITS PRESENCE CAN SIGNAL LIFE-THREATENING CONDITIONS SUCH AS STROKE, MENINGITIS, HYPOGLYCEMIA, OR DRUG OVERDOSE. PROMPT RECOGNITION AND INTERVENTION ARE CRUCIAL TO PREVENT MORBIDITY AND MORTALITY. MOREOVER, AMS IMPACTS PATIENT SAFETY, IMPAIRS COMMUNICATION, AND COMPLICATES CARE DELIVERY, EMPHASIZING THE IMPORTANCE OF NURSING VIGILANCE.

ETIOLOGY AND PATHOPHYSIOLOGY OF ALTERED MENTAL STATUS

COMMON CAUSES OF AMS

THE ETIOLOGY OF AMS IS DIVERSE, OFTEN CATEGORIZED INTO PRIMARY NEUROLOGICAL CAUSES AND SECONDARY SYSTEMIC CAUSES:

NEUROLOGICAL CAUSES:

- STROKE (ISCHEMIC OR HEMORRHAGIC)
- TRAUMATIC BRAIN INJURY
- SEIZURES
- BRAIN TUMORS

- INFECTIONS (MENINGITIS, ENCEPHALITIS)
- HYDROCEPHALUS

SYSTEMIC CAUSES:

- HYPOGLYCEMIA OR HYPERGLYCEMIA
- HYPOXIA OR RESPIRATORY FAILURE
- ELECTROLYTE IMBALANCES (HYPONATREMIA, HYPERNATREMIA)
- HEPATIC OR RENAL FAILURE
- SEPSIS
- DRUG INTOXICATION OR WITHDRAWAL
- TOXINS

PATHOPHYSIOLOGICAL MECHANISMS

ALTERED MENTAL STATUS RESULTS FROM DISRUPTIONS IN CEREBRAL FUNCTION DUE TO VARIOUS MECHANISMS:

- DECREASED CEREBRAL PERFUSION (AS SEEN IN SHOCK OR STROKE)
- DIRECT NEURONAL INJURY (TRAUMA, INFECTION)
- NEUROCHEMICAL IMBALANCES (ELECTROLYTE DISTURBANCES, TOXINS)
- METABOLIC DERANGEMENTS IMPAIRING NEURONAL METABOLISM
- INCREASED INTRACRANIAL PRESSURE LEADING TO BRAIN TISSUE COMPRESSION

UNDERSTANDING THESE MECHANISMS GUIDES CLINICIANS IN IDENTIFYING THE ROOT CAUSE AND TAILORING INTERVENTIONS APPROPRIATELY.

ASSESSMENT OF ALTERED MENTAL STATUS IN NURSING PRACTICE

INITIAL EVALUATION AND TRIAGE

NURSES PLAY A PIVOTAL ROLE IN EARLY IDENTIFICATION THROUGH VIGILANT ASSESSMENT:

- AIRWAY, BREATHING, CIRCULATION (ABCs): ENSURING AIRWAY PATENCY, ADEQUATE BREATHING, AND PERFUSION.
- LEVEL OF CONSCIOUSNESS: USING TOOLS LIKE THE GLASGOW COMA SCALE (GCS) TO QUANTIFY RESPONSIVENESS.
- VITAL SIGNS: MONITORING BLOOD PRESSURE, HEART RATE, RESPIRATORY RATE, TEMPERATURE, OXYGEN SATURATION.
- HISTORY GATHERING: OBTAINING INFORMATION ABOUT RECENT EVENTS, MEDICATION USE, SUBSTANCE INTAKE, AND MEDICAL HISTORY.

FOCUSED PHYSICAL EXAMINATION

- NEUROLOGICAL EXAM: PUPIL RESPONSES, MOTOR AND SENSORY FUNCTION, REFLEXES.
- ASSESSMENT OF COGNITION AND BEHAVIOR: ORIENTATION, MEMORY, SPEECH, AND EMOTIONAL STATE.
- SIGNS OF SYSTEMIC ILLNESS: FEVER, RASH, JAUNDICE, DEHYDRATION.

DIAGNOSTIC TESTS AND DATA COLLECTION

NURSES COLLABORATE WITH THE HEALTHCARE TEAM TO FACILITATE DIAGNOSTIC PROCEDURES:

- BLOOD TESTS (GLUCOSE, ELECTROLYTES, INFECTION MARKERS)
- IMAGING STUDIES (CT, MRI)
- LUMBAR PUNCTURE
- ELECTROENCEPHALOGRAM (EEG)
- TOXICOLOGY SCREENING

ACCURATE DOCUMENTATION OF FINDINGS IS ESSENTIAL FOR ONGOING ASSESSMENT AND DECISION-MAKING.

FORMULATING THE NURSING DIAGNOSIS: ALTERED MENTAL STATUS

DEFINITION AND COMPONENTS

THE NURSING DIAGNOSIS "ALTERED MENTAL STATUS" PERTAINS TO A DEVIATION FROM NORMAL COGNITIVE FUNCTION AND CONSCIOUSNESS. IT INVOLVES IDENTIFYING THE PROBLEM, DEFINING ITS ETIOLOGY, AND UNDERSTANDING ITS MANIFESTATIONS.

NANDA-I DEFINITION:

"IMPAIRED COGNITION AND CONSCIOUSNESS, EVIDENCED BY CONFUSION, DISORIENTATION, DECREASED RESPONSIVENESS, OR COMA."

RELATED FACTORS:

- NEUROLOGICAL INJURY
- METABOLIC DISTURBANCES
- SUBSTANCE INTOXICATION
- INFECTION
- TRAUMA

DEFINING CHARACTERISTICS:

- ALTERED LEVEL OF CONSCIOUSNESS
- DISORIENTATION
- INABILITY TO COMMUNICATE OR FOLLOW COMMANDS
- CHANGES IN BEHAVIOR OR PERSONALITY

IMPORTANCE OF ACCURATE DIAGNOSIS

PROPER NURSING DIAGNOSIS GUIDES INTERVENTION PRIORITIES, ENSURES TARGETED CARE, AND FACILITATES COMMUNICATION AMONG MULTIDISCIPLINARY TEAMS. IT ALSO PROMPTS ONGOING EVALUATION OF PATIENT STATUS AND RESPONSE TO TREATMENT.

MANAGEMENT AND NURSING INTERVENTIONS FOR ALTERED MENTAL STATUS

IMMEDIATE PRIORITIES

- ENSURING AIRWAY PATENCY AND ADEQUATE VENTILATION
- MAINTAINING CERVICAL SPINE STABILIZATION IF TRAUMA IS SUSPECTED
- MONITORING OXYGENATION AND PERFUSION
- PREVENTING INJURY DUE TO FALLS OR DISORIENTATION
- INITIATING SEIZURE PRECAUTIONS IF INDICATED

MONITORING AND ONGOING CARE

- FREQUENT ASSESSMENT OF LEVEL OF CONSCIOUSNESS USING GCS OR OTHER SCALES
- MONITORING VITAL SIGNS RIGOROUSLY

- ASSESSING NEUROLOGICAL STATUS REGULARLY
- OBSERVING FOR SIGNS OF DETERIORATION OR IMPROVEMENT

ADDRESSING UNDERLYING CAUSES

NURSES COLLABORATE WITH PHYSICIANS TO:

- CORRECT METABOLIC IMBALANCES (E.G., GLUCOSE, ELECTROLYTES)
- ADMINISTER ANTIBIOTICS OR ANTIVIRALS FOR INFECTIONS
- MANAGE INTOXICATION OR WITHDRAWAL SYNDROMES
- PROVIDE SEDATION OR RESTRAINTS JUDICIOUSLY TO PREVENT INJURY
- ASSIST WITH DIAGNOSTIC PROCEDURES

SUPPORTING PATIENT SAFETY AND COMFORT

- ENSURING A SAFE ENVIRONMENT TO PREVENT FALLS
- PROVIDING ORIENTATION CUES (CLOCKS, CALENDARS)
- MAINTAINING HYDRATION AND NUTRITION
- COMMUNICATING CLEARLY AND CALMLY
- INVOLVING FAMILY MEMBERS FOR REASSURANCE

PATIENT AND FAMILY EDUCATION

- EXPLAINING THE CONDITION AND TREATMENT PLAN
- DISCUSSING POTENTIAL OUTCOMES
- EMPHASIZING SAFETY PRECAUTIONS
- PROVIDING SUPPORT FOR EMOTIONAL AND PSYCHOLOGICAL NEEDS

EVALUATION AND OUTCOMES IN NURSING CARE OF AMS

GOALS OF NURSING INTERVENTIONS

- RESTORATION OF BASELINE COGNITIVE FUNCTION
- PREVENTION OF COMPLICATIONS SUCH AS ASPIRATION, PRESSURE INJURIES, OR FALLS
- IDENTIFICATION AND TREATMENT OF UNDERLYING CAUSES
- ENHANCEMENT OF PATIENT COMFORT AND SAFETY

MEASURING EFFECTIVENESS

- IMPROVEMENT IN LEVEL OF CONSCIOUSNESS
- STABILIZATION OF VITAL SIGNS
- RESOLUTION OF UNDERLYING PATHOLOGY
- PATIENT AND FAMILY UNDERSTANDING OF CARE PLAN

DOCUMENTATION AND CONTINUITY OF CARE

ACCURATE AND DETAILED DOCUMENTATION ENSURES CONTINUITY, FACILITATES COMMUNICATION, AND SUPPORTS CLINICAL DECISION-MAKING.

CHALLENGES AND CONSIDERATIONS IN NURSING PRACTICE

COMPLEXITY OF DIFFERENTIAL DIAGNOSIS

ALTERED MENTAL STATUS OFTEN PRESENTS WITH OVERLAPPING SYMPTOMS. NURSES MUST MAINTAIN A BROAD DIFFERENTIAL DIAGNOSIS AND AVOID PREMATURE CONCLUSIONS.

COMMUNICATION BARRIERS

PATIENTS WITH AMS MAY BE UNABLE TO COMMUNICATE EFFECTIVELY, COMPLICATING ASSESSMENT. NURSES MUST RELY ON OBSERVATIONS, COLLATERAL INFORMATION, AND NON-VERBAL CUES.

ETHICAL AND CULTURAL SENSITIVITIES

RESPECTING PATIENT DIGNITY, ADDRESSING CULTURAL BELIEFS ABOUT ILLNESS, AND OBTAINING CONSENT FOR INTERVENTIONS ARE CRITICAL.

RESOURCE LIMITATIONS

IN RESOURCE-CONSTRAINED SETTINGS, TIMELY DIAGNOSTICS AND INTERVENTIONS MAY BE CHALLENGING, REQUIRING NURSES TO PRIORITIZE CARE EFFECTIVELY.

CONCLUSION: THE CRITICAL ROLE OF NURSING IN MANAGING ALTERED MENTAL STATUS

ALTERED MENTAL STATUS IS A COMPLEX CLINICAL PRESENTATION THAT DEMANDS A VIGILANT, SYSTEMATIC, AND MULTIDISCIPLINARY APPROACH. NURSING DIAGNOSIS PLAYS A PIVOTAL ROLE IN EARLY IDENTIFICATION, ONGOING ASSESSMENT, AND MANAGEMENT OF AMS. THROUGH COMPREHENSIVE EVALUATION, PROMPT INTERVENTION, AND PATIENT-CENTERED CARE, NURSES SIGNIFICANTLY INFLUENCE PATIENT OUTCOMES, REDUCE COMPLICATIONS, AND SUPPORT RECOVERY. AS THE FRONTLINE CAREGIVERS, NURSES MUST REMAIN INFORMED ABOUT THE DIVERSE ETIOLOGIES, ASSESSMENT TOOLS, AND MANAGEMENT STRATEGIES TO DELIVER SAFE AND EFFECTIVE CARE FOR PATIENTS EXPERIENCING ALTERED MENTAL STATUS.

REFERENCES

(NOTE: IN AN ACTUAL PUBLICATION, REFERENCES TO CURRENT CLINICAL GUIDELINES, RESEARCH ARTICLES, AND AUTHORITATIVE NURSING TEXTS WOULD BE INCLUDED HERE.)

Nursing Diagnosis Altered Mental Status

nursing diagnosis altered mental status: *Nursing for Wellness in Older Adults* Carol A.

Miller, 2009 Now in its Fifth Edition, this text provides a comprehensive and wellness-oriented approach to the theory and practice of gerontologic nursing. Organized around the author's unique functional consequences theory of gerontologic nursing, the book explores normal age-related changes and risk factors that often interfere with optimal health and functioning, to effectively identify and teach health-promotion interventions. The author provides research-based background information and a variety of practical assessment and intervention strategies for use in every clinical setting. Highlights of this edition include expanded coverage of evidence-based practice, more first-person stories, new chapters, and clinical tools such as assessment tools recommended by the Hartford Institute of Geriatric Nursing.

nursing diagnosis altered mental status: Nursing Care Plans & Documentation Lynda Juall Carpenito-Moyet, 2009 The Fifth Edition of Nursing Care Plans and Documentation provides nurses with a comprehensive guide to creating care plans and effectively documenting care. This user-friendly resource presents the most likely diagnoses and collaborative problems with step-by-step guidance on nursing action, and rationales for interventions. New chapters cover moral distress in nursing, improving hospitalized patient outcomes, and nursing diagnosis risk for compromised human dignity. The book includes over 70 care plans that translate theory into clinical practice. Online Tutoring powered by Smarthinking--Free online tutoring, powered by Smarthinking, gives students access to expert nursing and allied health science educators whose mission, like yours, is to achieve success. Students can access live tutoring support, critiques of written work, and other valuable tools.

nursing diagnosis altered mental status: Nursing Diagnosis Reference Manual Sheila Sparks Ralph, Cynthia M. Taylor, 2005 Nursing Diagnosis Reference Manual, Sixth Edition helps nursing students and practicing nurses prepare care plans accurately and efficiently for every NANDA-approved nursing diagnosis. The book features a life-cycle format, with sections on adult, adolescent, child, maternal-neonatal, and geriatric health. Sections on community-based health (care plans on home health, health promotion, and more) and psychiatric/mental health round out the volume. Each care plan includes clear-cut criteria for identifying the right nursing diagnosis, assessment guidelines, outcome statements, rationales with all interventions, and documentation guidelines.

nursing diagnosis altered mental status: Nursing Diagnosis Manual Marilynn E. Doenges, Mary Frances Moorhouse, Alice C. Murr, 2022-02-01 Identify interventions to plan, individualize, and document care. Updated with the latest diagnoses and interventions from NANDA-I 2021-2023, here's the resource you'll turn to again and again to select the appropriate diagnosis and to plan, individualize, and document care for more than 800 diseases and disorders. Only in the Nursing Diagnosis Manual will you find for each diagnosis...defining characteristics presented subjectively and objectively - sample clinical applications to ensure you have selected the appropriate diagnoses - prioritized action/interventions with rationales - a documentation section, and much more!

nursing diagnosis altered mental status: Handbook of Nursing Diagnosis Lynda Juall Carpenito, 2021-11-26 Lynda Carpenito's best-selling, Handbook of Nursing Diagnosis, now in an impressive sixteenth edition, is the ideal quick reference for nursing diagnosis information. This trusted handbook covers the NANDA-I Nursing Diagnoses 2021-2023 and offers practical guidance on nursing diagnoses and associated care. The quick-reference type scope of content makes it easy for students to use while in clinical, in the classroom or simulation lab. From goals to specific interventions, Handbook of Nursing Diagnosis focuses on nursing. It provides a condensed, organized outline of clinical nursing practice designed to communicate creative clinical nursing. It is not meant to replace nursing textbooks, but rather to provide nurses who work in a variety of settings with the information they need without requiring a time-consuming review of the literature. It will assist students in transferring their theoretical knowledge to clinical practice.

nursing diagnosis altered mental status: Mosby's Guide to Nursing Diagnosis Gail B. Ladwig, Betty J. Ackley, 2011-01-01 This pocket-sized reference is ideal for use in clinicals, in class and at the bedside! A condensed version of the Nursing Diagnosis Handbook, 10th Edition, Mosby's

Guide to Nursing Diagnosis, 4th edition uses a quick-access format to help you diagnose and formulate care plans with confidence and ease. It includes the most recent NANDA-I approved nursing diagnoses based on more than 1,300 specific symptoms and a step-by-step guide to creating care plans featuring desired outcomes, interventions, and patient teaching. UNIQUE! Care plans for every NANDA-I approved nursing diagnosis, including pediatric, geriatric, multicultural, home care, client/family teaching and discharge planning, and safety interventions Alphabetical thumb tabs provide quick access to specific symptoms and nursing diagnoses Pocketsize portability makes this book easy to carry and use in clinicals, in class, or at the bedside NEW! 4 Color Text NEW! Updated 2012-2014 NANDA-I-approved nursing diagnoses NEW! 16 new and 22 revised diagnoses NEW! Added content on safety, one of QSEN's six competencies

nursing diagnosis altered mental status: Nursing Diagnosis Reference Manual Linda Phelps, 2022-05-09 Boost students' clinical confidence and practice readiness with the latest evidence-based information for nursing diagnoses. Nursing Diagnosis Reference Manual, 12th Edition, provides fast, efficient access to clearly written, comprehensive coverage of the 2021-2023 NANDA-I definitions and classifications to help students meet the evolving healthcare needs of today's patients. Approachable monographs—thoroughly updated and alphabetized for quick, easy reference—reflect the nursing process and the expertise of leading nursing clinicians, educators, and researchers to equip students for clinical success in any setting.

nursing diagnosis altered mental status: Nursing Diagnosis Handbook Betty J. Ackley, MSN, EdS, RN, Gail B. Ladwig, MSN, RN, 2013-02-13 The 10th edition of the Nursing Diagnosis Handbook makes formulating nursing diagnoses and creating individualized care plans a breeze. Updated with the most recent NANDA-I approved nursing diagnoses, this convenient reference shows you how to build customized care plans in three easy steps: assess, diagnose, plan. Authors Elizabeth Ackley and Gail Ladwig use Nursing Outcomes Classification (NOC) and Nursing Interventions Classification (NIC) to guide you in creating care plans that include desired outcomes, interventions, patient teaching, and evidence-based rationales. Unique! Care Plan Constructor on the companion Evolve website offers hands-on practice creating customized plans of care. Alphabetical thumb tabs allow quick access to specific symptoms and nursing diagnoses. Suggested NIC interventions and NOC outcomes in each care plan. Recent and classic research examples promote evidence-based interventions and rationales. NEW! 4 Color text NEW! Includes updated 2012-2014 NANDA-I approved nursing diagnoses NEW! Provides the latest NIC/NOC, interventions, and rationales for every care plan. NEW! QSEN Safety interventions and rationales NEW! 100 NCLEX exam-style review questions are available on the companion Evolve website. NEW! Root Cause Thinking and Motivational Interviewing appendixes on the companion Evolve website.

nursing diagnosis altered mental status: Mosby's Guide to Nursing Diagnosis - E-Book Gail B. Ladwig, Betty J. Ackley, 2013-01-31 This pocket-sized reference is ideal for use in clinicals, in class and at the bedside! A condensed version of the Nursing Diagnosis Handbook, 10th Edition, Mosby's Guide to Nursing Diagnosis, 4th edition uses a quick-access format to help you diagnose and formulate care plans with confidence and ease. It includes the most recent NANDA-I approved nursing diagnoses based on more than 1,300 specific symptoms and a step-by-step guide to creating care plans featuring desired outcomes, interventions, and patient teaching. UNIQUE! Care plans for every NANDA-I approved nursing diagnosis, including pediatric, geriatric, multicultural, home care, client/family teaching and discharge planning, and safety interventions Alphabetical thumb tabs provide quick access to specific symptoms and nursing diagnoses Pocketsize portability makes this book easy to carry and use in clinicals, in class, or at the bedside NEW! 4 Color Text NEW! Updated 2012-2014 NANDA-I-approved nursing diagnoses NEW! 16 new and 22 revised diagnoses NEW! Added content on safety, one of QSEN's six competencies

nursing diagnosis altered mental status: Nursing Diagnosis Handbook - E-Book Betty J. Ackley, Gail B. Ladwig, Mary Beth Flynn Makic, 2016-01-27 Ackley's Nursing Diagnosis Handbook: An Evidence-Based Guide to Planning Care, 11th Edition helps practicing nurses and nursing students select appropriate nursing diagnoses and write care plans with ease and confidence. This

convenient handbook shows you how to correlate nursing diagnoses with known information about clients on the basis of assessment findings, established medical or psychiatric diagnoses, and the current treatment plan. Extensively revised and updated with the new 2015-2017 NANDA-I approved nursing diagnoses, it integrates the NIC and NOC taxonomies, evidence-based nursing interventions, and adult, pediatric, geriatric, multicultural, home care, and client/family teaching and discharge planning considerations to guide you in creating unique, individualized care plans. Comprehensive, up-to-date information on all the 2015-2017 NANDA-I nursing diagnoses so you stay in the know. UNIQUE! Provides care plans for every NANDA-I approved nursing diagnosis plus two unique care plans for Hearing Loss and Vision Loss. Includes pediatric, geriatric, multicultural, client/family teaching and discharge planning, home care, and safety interventions as necessary for plans of care. Presents examples of and suggested NIC interventions and NOC outcomes in each care plan. UNIQUE! Care Plan Constructor on the companion Evolve website offers hands-on practice creating customized plans of care. 150 NCLEX exam-style review questions are available on Evolve. Promotes evidence-based interventions and rationales by including recent or classic research that supports the use of each intervention. Classic evidence-based references promote evidence-based interventions and rationales. Clear, concise interventions are usually only a sentence or two long and use no more than two references. Safety content emphasizes what must be considered to provide safe patient care. Step-by-step instructions show you how to use the Guide to Nursing Diagnoses and Guide to Planning Care sections to create a unique, individualized plan of care. List of Nursing Diagnosis Index in back inside cover of book for quick reference. Three-column index is easy to use. Easy-to-follow sections I and II guide you through the nursing process and selecting appropriate nursing diagnoses. Alphabetical thumb tabs allow quick access to specific symptoms and nursing diagnoses.

nursing diagnosis altered mental status: Mosby's Guide to Nursing Diagnosis, 6th Edition Revised Reprint with 2021-2023 NANDA-I® Updates - E-Book Gail B. Ladwig, Betty J. Ackley, Mary Beth Flynn Makic, 2021-11-10 Mosby's Guide to Nursing Diagnosis, 6th Edition Revised Reprint with 2021-2023 NANDA-I® Updates - E-Book

nursing diagnosis altered mental status: Sparks & Taylor's Nursing Diagnosis Reference Manual Linda Phelps, 2019-11-25 This clearly written, easy-to-use reference manual delivers the evidence-based information nursing students and practicing nurses need to make confident diagnoses and construct care plans that meet patients' healthcare needs. The perfect reference for any clinical, classroom or simulation setting, this updated edition integrates the nursing process throughout and makes it easier than ever to access the latest NANDA-I nursing diagnoses. UPDATED! 2018-2020 NANDA-I diagnosis and standards, Nursing Interventions Classification (NIC) and Nursing Outcomes Classification (NOC) labels incorporated throughout reinforce clinical confidence and quality of care. NEW! 17 new diagnoses keep students on the cutting edge of nursing practice. UPDATED! QSEN competency icons throughout reinforce important considerations for safe care. UPDATED! Alphabetical organization helps students find diagnosis information quickly and easily. Selected Nursing Diagnoses by Medical Diagnosis (Appendix I) delivers clearly written, authoritative care plans for every stage in the life cycle. Related Factors sections strengthen students' diagnostic capabilities. Quick Reference tables list diagnoses by life stages for access at a glance.

nursing diagnosis altered mental status: Critical Care Nursing, Diagnosis and Management, 7 Linda Diann Urden, Kathleen M. Stacy, Mary E. Lough, 2013-05-01 Praised for its comprehensive coverage and clear organization, Critical Care Nursing: Diagnosis and Management is the go-to critical care nursing text for both practicing nurses and nursing students preparing for clinicals.

nursing diagnosis altered mental status: Children and Their Families Vicky R. Bowden, Cindy Smith Greenberg, 2010 Children and Their Families: The Continuum of Care provides a unique interdisciplinary perspective that underscores the nurse's role in planning, coordinating, and working with all members of a pediatric health care team. It shows students how to make critical

judgments and assessments to manage the care of children in a variety of community settings, including homes, schools, and medical centers. From infancy through adolescence, this text thoroughly covers the health promotion, surveillance, and maintenance needs of children. In this edition, threaded case studies follow a community of pediatric clients and continue throughout the chapter to show the interrelated dynamics of pediatric nursing care. A companion Website includes journal articles, NCLEX®-style chapter review questions, a Spanish-English audio glossary, Watch and Learn videos, a fluids and electrolytes tutorial, and much more.

nursing diagnosis altered mental status: *Advanced Critical Care Nursing* Mr. Rohit Manglik, 2024-05-24 A comprehensive reference for critical care nurses focusing on advanced patient monitoring and management. Includes evidence-based practices, ICU procedures, and ethical considerations.

nursing diagnosis altered mental status: 6600+ AIIMS NORCET Nursing Exam Question Bank Chapterwise Mocktime Publication, 101 6600+ AIIMS NORCET Nursing Exam Question Bank Chapterwise Table of Contents Chapter 1: Introduction to the Human Body: Terminology and Organization. 3 Chapter 2: The Cellular and Tissue Levels of Organization. 9 Chapter 3: The Integumentary System... 15 Chapter 4: The Skeletal System and Articulations. 18 Chapter 5: The Muscular System... 18 Chapter 6: The Nervous System and Nervous Tissue. 18 Chapter 7: The Central and Peripheral Nervous Systems. 18 Chapter 8: The Autonomic Nervous System and Special Senses. 18 Chapter 9: The Endocrine System... 18 Chapter 10: The Cardiovascular System: Blood, Heart, and Vessels. 18 Chapter 11: The Lymphatic System and Immunity. 18 Chapter 12: The Respiratory System... 18 Chapter 13: The Digestive System... 18 Chapter 14: The Urinary System... 18 Chapter 15: The Reproductive Systems. 18 Chapter 16: Introduction to Human Nutrition and Energy Metabolism... 18 Chapter 17: Carbohydrates, Lipids, and Proteins. 18 Chapter 18: Vitamins and Minerals. 18 Chapter 19: Water, Electrolytes, and Acid-Base Balance. 18 Chapter 20: Nutritional Assessment and The Role of the Nurse. 18 Chapter 21: Therapeutic Diets and Diet in Disease. 18 Chapter 22: Introduction to Biochemistry. 18 Chapter 23: The Evolution of Nursing and the Nurse as a Professional 18 Chapter 24: Health, Wellness, and Illness Continuum... 18 Chapter 25: The Nursing Process: A Framework for Care (ADPIE). 18 Chapter 26: Health Assessment: History Taking and Physical Examination. 18 Chapter 27: Vital Signs: The Core Indicators of Health. 18 Chapter 28: Communication and Nurse-Patient Relationship. 18 Chapter 29: Documentation and Reporting. 18 Chapter 30: Asepsis and Infection Control Practices. 18 Chapter 31: Meeting Basic Human Needs: Hygiene, Comfort, and Mobility. 18 Chapter 32: Administration of Medications and Drug Calculations. 18 Chapter 33: Perioperative Nursing and Wound Care. 18 Chapter 34: First Aid and Emergency Nursing. 18 Chapter 35: Ethical and Legal Aspects in Nursing Practice. 18 Chapter 36: General Psychology and Human Behavior. 18 Chapter 37: Introduction to Microbiology and Host-Parasite Relationships. 18 Chapter 38: Applied English for Professional Communication. 18 Chapter 39: Introduction to Computers and Nursing Informatics. 18 Chapter 40: Introduction to Medical-Surgical Nursing. 18 Chapter 41: Nursing Management: Patients with Respiratory Disorders. 18 Chapter 42: Nursing Management: Patients with Gastrointestinal Disorders. 18 Chapter 43: Nursing Management: Patients with Cardiovascular Disorders. 18 Chapter 44: Nursing Management: Patients with Hematological Disorders. 18 Chapter 45: Nursing Management: Patients with Endocrine and Metabolic Disorders. 18 Chapter 46: Nursing Management: Patients with Renal and Urinary Disorders. 18 Chapter 47: Nursing Management: Patients with Immunological Disorders (incl. HIV/AIDS). 18 Chapter 48: Principles of Pharmacology and Nursing Responsibilities. 18 Chapter 49: Chemotherapy and Antimicrobial Agents. 18 Chapter 50: Drugs Acting on the Central and Autonomic Nervous Systems. 18 Chapter 51: Drugs Acting on the Cardiovascular, Respiratory, and Renal Systems. 18 Chapter 52: Introduction to Pathology: Cell Injury, Inflammation, and Neoplasia. 18 Chapter 53: Introduction to Genetics and its Role in Health and Disease. 18 Chapter 54: Concepts and Determinants of Community Health. 18 Chapter 55: Principles of Epidemiology and Epidemiological Methods. 18 Chapter 56: The Family Health Nursing Process. 18 Chapter 57: National Health Programs of India - Part 1. 18 Chapter 58: The Role of the Community Health

Nurse. 18 Chapter 59: Advanced Communication and Interpersonal Skills. 18 Chapter 60: Principles of Health Education. 18 Chapter 61: Methods and Media in Health Education: Audio-Visual Aids. 18 Chapter 62: Introduction to Sociology: Society, Community, and Health. 18 Chapter 63: Nursing Management: Patients with Neurological Disorders. 18 Chapter 64: Nursing Management: Patients with Musculoskeletal Disorders. 18 Chapter 65: Nursing Management: Patients with Oncological Conditions. 18 Chapter 66: Nursing Management: Patients with Disorders of the Eye and ENT. 18 Chapter 67: Nursing Management: Patients with Dermatological Conditions. 18 Chapter 68: Nursing in Disaster and Mass Casualty Situations. 18 Chapter 69: Growth and Development from Infancy to Adolescence. 18 Chapter 70: Nursing Care of a Healthy Child and Preventive Pediatrics. 18 Chapter 71: Nursing Care of the Neonate: Normal and High-Risk. 18 Chapter 72: Integrated Management of Neonatal and Childhood Illnesses (IMNCI). 18 Chapter 73: Nursing Management of Common Childhood Diseases (System-wise). 18 Chapter 74: Pediatric Procedures and Administration of Medications. 18 Chapter 75: Principles and Concepts of Mental Health Nursing. 18 Chapter 76: Psychiatric Assessment and Therapeutic Communication. 18 Chapter 77: Nursing Management: Patients with Schizophrenia and Psychotic Disorders. 18 Chapter 78: Nursing Management: Patients with Mood and Anxiety Disorders. 18 Chapter 79: Nursing Management: Patients with Substance Use Disorders. 18 Chapter 80: Psychiatric Emergencies and Crisis Intervention. 18 Chapter 81: The National Mental Health Programme and Legal Aspects. 18 Chapter 82: Introduction to Nursing Research and Evidence-Based Practice. 18 Chapter 83: The Research Process: From Problem to Proposal 18 Chapter 84: Research Designs and Methodologies. 18 Chapter 85: Data Collection, Analysis, and Interpretation. 18 Chapter 86: Introduction to Biostatistics for Nurses. 18 Chapter 87: Writing a Research Report and Utilizing Research Findings. 18 Chapter 88: Anatomy and Physiology of the Female Reproductive System... 18 Chapter 89: Antenatal Care: Management of Normal Pregnancy. 18 Chapter 90: Intranatal Care: Management of Normal Labor and Delivery. 18 Chapter 91: Postnatal Care: Management of the Puerperium... 18 Chapter 92: Nursing Care of the Normal Newborn. 18 Chapter 93: Management of High-Risk Pregnancies and Complications. 18 Chapter 94: Family Welfare and Contraceptive Methods. 18 Chapter 95: National Health Policies, Planning, and Healthcare Delivery System... 18 Chapter 96: School Health, Occupational Health, and Geriatric Nursing. 18 Chapter 97: National Health Programs of India - Part 2. 18 Chapter 98: Role of National and International Health Agencies. 18 Chapter 99: Principles of Management and Leadership in Nursing. 18 Chapter 100: Resource Management: Staffing, Budgeting, and Material Management. 18 Chapter 101: Quality Assurance and Patient Safety. 18 Chapter 102: Professional Development, In-service Education, and Legal Responsibilities. 18 Chapter 103: Introduction to Nursing Education: Curriculum and Teaching-Learning Principles. 18 Chapter 104: Synthesizing Care in Critical Settings: ICU, CCU, and Emergency. 18 Chapter 105: The Nurse's Role in the Operation Theatre. 18 Chapter 106: Comprehensive Case Studies and Application of Nursing Process. 18 Chapter 107: The Role of the Intern: From Student to Practitioner. 18 Chapter 108: Developing Clinical Judgment and Critical Thinking. 18 Chapter 109: Professionalism, Accountability, and Lifelong Learning. 18 Chapter 110: Preparing for Licensure Examinations (RNRM). 18 Chapter 111: Career Pathways and Opportunities in Nursing. 18

nursing diagnosis altered mental status: Nursing Diagnosis Susan M. Sparks, 1986

nursing diagnosis altered mental status: *Sparks and Taylor's Nursing Diagnosis Reference Manual* Sheila S. Ralph, Cynthia M. Taylor, 2013-01-03 Sparks and Taylor's Nursing Diagnosis Reference Manual 9th edition provides clearly written, authoritative care plan guidelines for all 2012-2014 NANDA International (NANDA-I) approved nursing diagnoses. The book is full of bright colors, and organized by life-stages and type of care. Each Part opens with a new feature, Applying Evidence-Based Practice, which responds directly to the content. Each NANDA diagnosis includes associated Nursing Interventions Classifications (NIC) and Nursing Outcomes Classifications (NOC), and the nursing process is integrated throughout. This book is the ideal resource for any clinical setting.

nursing diagnosis altered mental status: Mosby's Critical Care Nursing Reference -

E-Book Susan B. Stillwell, 2006-04-04 Developed to provide nurse clinicians with a resource for the management of adult critical care patients, Mosby's Critical Care Nursing Reference condenses the most essential information needed by nurses working in the ICU. This valuable, pocket-sized reference provides information on broad topics that apply to a variety of critically ill patients, as well as detailed information on organ diseases. Chapters are dedicated to psychosocial concerns, complementary therapies, and the unique needs of a pediatric patient in an adult ICU. Therapeutic modalities and pharmacology are both examined, with information that is useful for the student, the new nurse, and the experienced professional. - Handy size allows portability and ease of use in working conditions. - Contains both general information on patient care, as well as specific details outlining nursing procedures in a professional setting. - Organization of material presented allows for quick access of desired subject matter in critical care situations. - Allows critical care nurses to quickly assess, diagnose, and facilitate the care of patients in an ICU setting. - Clearly organized appendices allow the user to rapidly obtain frequently needed data. - The most up-to-date terminology, topics, modalities, and treatments are incorporated throughout. - New chapter on palliative care in the critical care unit has been included. - Updated information is presented regarding pain control from the World Health Organization, as well as drug incompatibilities. - Discussions have been added on such topics as cortisol level testing, new laboratory tests such as brain natriuretic peptide, and therapies used in end of life.

nursing diagnosis altered mental status: *Saunders Nursing Guide to Diagnostic and Laboratory Tests* Louise M. Malarkey, Mary Ellen McMorow, 2011-10-31 •This complete lab book contains the latest information on testing organized alphabetically for quick reference. •It is both student-friendly and provides great information for practicing nurses. •Significance of Test Results sections list the diseases and disorders that are associated with abnormal findings and Test Result Indications sections list the possible clinical significance of abnormal findings. •Tests are presented in a format that emphasizes the nurse's role, and includes Basics the Nurse Needs to Know and Nursing Care. •The clinical purpose of each test is identified, and how each test is performed is clearly explained. •A pronunciation guide for the name of each test helps with difficult terminology. - Alphabetical organization of the laboratory tests (featuring alphabetical thumb tabs) makes every test easy to find. - Also Called sections feature synonyms and abbreviations that help you identify specific tests. - Purpose of the Test states the indications of each test. - Basics the Nurse Needs to Know offers an explanation of each test in clear, simple language. - Normal Values in standard and SI units include variations for gender and age, where relevant. - How the Test is Done succinctly describes how each test is performed. - Significance of Test Results list the diseases and disorders that are associated with abnormal findings. - Interfering Factors list the factors, such as drugs, herbs, and improper specimen collection and handling, that inadvertently affect test results. - Nursing Care is divided into Pretest, During the Test, and Posttest, listing in detail what the nurse does in the testing process. - Nursing Response to Critical Values and Nursing Response to Complications detail what you should be alert for before, during, and after the test and how to manage dangerous situations. - Explicit incorporation of nursing concerns related to lab tests can only be found in this lab book. - Over 50 new and updated pieces of art highlight how results are interpreted, what equipment is used, and how various techniques are performed. - Over 20 new tests prepare you for the types of tests you will encounter during your clinical experience. - Patient Teaching icons make crucial nursing content easy to find. - New Student Resources on Evolve feature a variety of supplemental learning tools. - Skills materials, including skills checklists, PDFs of skills, and brief skills video clips, help you master specimen collection and basic diagnostic procedures. - Patient handouts provide practical, useable materials to make your clinical experience easier. - Audio pronunciations simplify the process of learning difficult terminology.

Related to nursing diagnosis altered mental status

Nursing and midwifery - World Health Organization (WHO) Nursing encompasses autonomous and collaborative care of individuals of all ages, families, groups and communities, sick

or well and in all settings. It includes the promotion of

Nursing and midwifery - World Health Organization (WHO) Nursing and midwifery occupations represent a significant share of the female workforce. More than 80% of the world's nurses work in countries that are home to half of the

State of the world's nursing report 2025 The 2025 edition of the State of the world's nursing provides the most comprehensive and up-to-date analysis of the nursing workforce. The report features new

Nursing workforce grows, but inequities threaten global health goals The global nursing workforce has grown from 27.9 million in 2018 to 29.8 million in 2023, but wide disparities in the availability of nurses remain across regions and countries,

State of the world's nursing 2020: investing in education, jobs and The State of the world's nursing 2020 report provides the latest, most up-to-date evidence on and policy options for the global nursing workforce

The WHO Global Strategic Directions for Nursing and Midwifery The WHO Global Strategic Directions for Nursing and Midwifery 2021-2025 presents evidence-based practices and an interrelated set of policy priorities that can help

Countries advance "Nursing Action" initiative to tackle nurse The retention of nurses in Member States of the WHO European Region is central to "Nursing Action", a landmark European Union (EU)-funded initiative aimed at strengthening

WHO/Europe launches EU-funded "Nursing Action" project to 17 January 2025, Poland - Launch event WHO/Europe, in partnership with the European Commission and the Polish European Union (EU) Presidency, will launch "Nursing Action", a

Webinar - State of the World's Nursing 2025 (SoWN 2025) report WHO is currently developing the State of the World's Nursing 2025 (SoWN 2025) report, which will be launched on 12 May 2025. This report will offer an updated,

Nursing EURO - World Health Organization (WHO) To safeguard the future health workforce and the provision of high-quality health care, steps must be taken to ensure that nursing and midwifery are seen as attractive career

Related to nursing diagnosis altered mental status

Clinical Challenge: Altered Mental Status (clinicaladvisor.com2mon) A 72-year-old man with a history of bradycardia and transient ischemic attack (TIA) is transported from a skilled nursing facility for evaluation of altered mental status. In the emergency department

Clinical Challenge: Altered Mental Status (clinicaladvisor.com2mon) A 72-year-old man with a history of bradycardia and transient ischemic attack (TIA) is transported from a skilled nursing facility for evaluation of altered mental status. In the emergency department

Case 8-2025: A 72-Year-Old Woman with Altered Mental Status and Acidemia (The New England Journal of Medicine6mon) Dr. David M. Dudzinski: A 72-year-old woman was evaluated at this hospital because of altered mental status. Five years before the current admission, the patient underwent transurethral resection of a

Case 8-2025: A 72-Year-Old Woman with Altered Mental Status and Acidemia (The New England Journal of Medicine6mon) Dr. David M. Dudzinski: A 72-year-old woman was evaluated at this hospital because of altered mental status. Five years before the current admission, the patient underwent transurethral resection of a

Clinical Challenge: Altered Mental Status (clinicaladvisor.com1y) To accurately assess and diagnose this patient's condition, the clinician needs to consider the clinical status and carefully review the CT image. Though atrial fibrillation can increase the risk of

Clinical Challenge: Altered Mental Status (clinicaladvisor.com1y) To accurately assess and diagnose this patient's condition, the clinician needs to consider the clinical status and carefully review the CT image. Though atrial fibrillation can increase the risk of

Related Articles

- [lightning mcqueen template](#)
- [mueller report vol 2 pdf download](#)
- [student life ideas for yearbook](#)

[Back to Home](#)